

BOBCAT COMPANY PRICE PAGES

NA LOADERS – SKID-STEER



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department.
- For the most current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

01/01/2015	Effective Thursday, January 1 st , 2015 Bobcat Company has adjusted the SLP of select options and power units.
01/01/2015	Discontinued H31 Cab Package, H71 Cab Package and P03-F40 High Flow and Hydraulic Bucket Positioning Package.
03/23/2015	Added Tier 4 S750, S770 and S850.
05/15/2015	Updated select Dealer Installed Accessories.
06/30/2015	Updated price for Forestry Applications Kit
09/14/2015	Added S595 Skid-Steer Loader.
01/01/2016	Effective Friday, January 1 st , 2016 Bobcat Company has adjusted the SLP of select options and power units.

**Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

S70 (Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

23.5 HP Tier 4 Diesel Engine	Lights: Front & Rear
Auxiliary Hydraulics	Operator Cab
Backup Alarm	<ul style="list-style-type: none"> Includes: Adjustable Cushion Seat, Parking Brake, Rear Window, Seat Bar, Seat Belt
Bob-Tach	<ul style="list-style-type: none"> Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bobcat Interlock Control System (BICS™)	<ul style="list-style-type: none"> Falling Objects Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I
Controls: Bobcat Standard	Spark Arrestor Muffler
Glow Plugs (Automatically Activated)	Tires, 23 x 5.70-12, 4 PR, Bobcat Standard Duty
Horn	Warranty: 12 Months, Unlimited Hours
Instrumentation: Hourmeter, Engine Temperature Gauge, Fuel Gauge (On Tank), Voltmeter and Warning Lights	
Lift Arm Support	
Lift Path: Radius	

QUICK SPECS

Rated Operating Capacity	700 lbs.
Engine Model.....	D1005-E4B
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	23.5
Hydraulic Pump Capacity-Standard Flow.....	9.8 GPM
Travel Speed	6.1 MPH
Operating Weight.....	2,795 lbs.
Shipping Weight	2,444 lbs.
Cab Height	71.4"
Width (w/out Attachment)	35.5"
Length (w/out Attachment)	75.8"
Wheelbase	28.4"
Reach at Maximum Height	15.8"
Height to Hinge Pin.....	94.5"

S70 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0041	S70 BOBCAT SKID-STEER LOADER (EQUIPPED WITH T4 ENGINE)	\$20,933
--------------	---	-----------------

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0041-R02-C02	CAB ENCLOSURE WITH HEATER AND SOUND REDUCTION Includes Heater, Front Door with Wiper, Top and Side Sliding Windows, Rubber Floor Covers, Side Instrument Panel and Sound Reducing Foam Insulation.	\$1,750
----------------------	--	----------------

M0041-A01-C04	SOUND REDUCTION OPTION Includes Sound Reducing Foam Insulation, Top Window and Rear Portion of Side Windows. Cannot be ordered with Cab Enclosure with Heater and Sound Reduction.	\$220
----------------------	--	--------------

M0041-R05-C03	SUSPENSION SEAT.....	\$185
----------------------	-----------------------------	--------------

M0041-R09-C02	23x 8.50-12, 6 PR, HEAVY DUTY TIRES Set of four tires in place of base equipment. Loader width 44"	\$185
----------------------	--	--------------

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

Spare Wheel and Tire Assemblies

7147739	23 x 5.70-12,4 PR, BOBCAT STANDARD DUTY TIRE - LEFT ASSEMBLY Spare wheel and tire assembly. Loader width 35.4 in.	\$80
----------------	---	-------------

7147740	23 x 5.70-12, 4 PR, BOBCAT STANDARD DUTY TIRE - RIGHT ASSEMBLY Spare wheel and tire assembly. Loader width 35.4 in.	\$80
----------------	---	-------------

7147741	23 X 8.50-12, 6 PR, BOBCAT HEAVY DUTY TIRE - LEFT ASSEMBLY..... Spare wheel and tire assembly. Loader width 44 in.	\$135
----------------	--	--------------

7147742	23 X 8.50-12, 6 PR, BOBCAT HEAVY DUTY TIRE - RIGHT ASSEMBLY Spare wheel and tire assembly. Loader width 44 in.	\$135
----------------	--	--------------

Cab Accessories

6732187	CAB ENCLOSURE KIT..... Includes Front Door with Wiper and washer, Top & Sliding Side Windows and Rubber Floor Covers. Side Instrument Panel is required; reference P/N 7154283 for detail. Est. Install time: 9.25 hrs.	\$920
----------------	--	--------------

PART NUMBER	DESCRIPTION
----------------	-------------

Part numbers for kits in this section are current as of May 2015 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories

6653437	CAB ENCLOSURE, VINYL..... Cab enclosure includes vinyl coated nylon fabric with clear vinyl windows that provide visibility to the front, top, rear and sides of the loader. Est. Install time: 1 hr.	\$_____
----------------	--	----------------

6729392	DOOR KIT Includes window wiper and washer. Side Instrument Panel is required; reference P/N 7154283 for detail. Est. Install time: 5 hrs.	\$_____
----------------	--	----------------

7194019	HEATER KIT Includes plumbing kit. Est. Install time: 2 hrs. to install heater and plumbing kit	\$_____
----------------	---	----------------

6712972	KEYLESS START KIT Est. Install time: 1.5 hrs.	\$_____
----------------	---	----------------

6734641	REPLACEMENT OPERATOR CAB KIT Est. Install time: 2.5 hrs.	\$_____
----------------	--	----------------

7154283	SIDE INSTRUMENT PANEL KIT..... Provides a side instrument panel that is used to supply the electrical power for various kits. Est. Install time: 1 hr.	\$_____
----------------	---	----------------

S70 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES- ORDER FROM PARTS DESCRIPTION
----------------	---

Cab Accessories (continued)

6706993	SLIDING SIDE WINDOWS KIT..... Est. Install time: 3 hrs.	\$ _____
6729391	SPECIAL APPLICATIONS POLYCARBONATE DOOR & WINDOW KIT Provides added operator protection during some attachment applications. Includes Polycarbonate Door, Top and Rear Windows. Est. Install time: 5 hrs.	\$ _____
7111126	TOP WINDOW KIT Est. Install time: 0.75 hr.	\$ _____

Electrical Accessories

_____	ATTACHMENT CONTROL KIT For complete listing of Attachment Control Kits, P/N's and Descriptions – Refer to the Attachments Section of the Price Pages.	\$ _____
7172383	BACKUP ALARM KIT Est. Install time: 1 hr.	\$ _____
6708548	HORN KIT Est. Install time: 1 hr.	\$ _____
6709755	FOUR-WAY FLASHER / TURN SIGNAL KIT..... Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	\$ _____
6708342	ROTATING BEACON LIGHT KIT..... Side Instrument Panel is required; reference P/N 7154283 for detail. Est. Install time: 0.75 hr.	\$ _____
6587526	STROBE LIGHT KIT, AMBER Est. Install time: 1 hr.	\$ _____

Engine Accessories

6680999	CATALYTIC EXHAUST PURIFIER Est. Install time: 1 hr.	\$ _____
6720808	ENGINE BLOCK HEATER..... Est. Install time: 1 hr.	\$ _____
7167046	RENTAL KIT..... Monitors Temperature and Pressure (Engine Oil and Hydraulic Oil) Est. Install time: 2 hrs.	\$ _____

Hydraulic Accessories

7154282	HYDRAULIC BUCKET POSITIONING KIT Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Includes on/off switch. Side Instrument Panel is required; reference P/N 7154283 for detail. Est. Install time: 2.5 hrs.	\$ _____
---------	--	----------

Lift Kits

6565785	SINGLE POINT LIFT KIT..... Est. Install time: 3 hrs.	\$ _____
---------	---	----------

Seats & Seat Belts

6703640	SEAT BELT KIT, 3" WIDE (STANDARD SEAT) For use with Standard Seat only. Includes 3" lap belt. Est. Install time: 0.5 hr.	\$ _____
6707918	SUSPENSION SEAT KIT Est. Install time: 0.5 hr.	\$ _____

Training Kits

6901726	BOBCAT LOADER OPERATOR TRAINING KIT Est. Install time: 0.5 hr.	\$ _____
6900641	BOBCAT LOADER SERVICE TRAINING KIT Est. Install time: 0.5 hr.	\$ _____
6904762	BOBCAT OPERATOR SAFETY DVD..... Includes all of the 10-minute operator safety videos in both English and Spanish.	\$ _____

S70 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES- ORDER FROM PARTS DESCRIPTION
----------------	---

OTHER ACCESSORIES

7023550	LOCKING FUEL CAP Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	\$ _____
----------------	--	----------

S450 (Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

49 HP Turbo Tier 4 Diesel Engine	Lights, Front & Rear
Auxiliary Hydraulics: Variable Flow	Operator Cab
Backup Alarm	<ul style="list-style-type: none"> Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
Bob-Tach	<ul style="list-style-type: none"> Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bobcat Interlock Control System (BICS™)	<ul style="list-style-type: none"> Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Controls: Bobcat Standard	
Engine/Hydraulic Systems Shutdown	
Glow Plugs (Automatically Activated)	
Horn	
Instrumentation: Engine Temperature & Fuel Gauges, Hourmeter, RPM and Warning Lights	Spark Arrestor Exhaust System
Lift Arm Support	Tires: 10-16.5, 10 PR, Bobcat Heavy Duty
Lift Path: Radius	Warranty: 12 Months, Unlimited Hours

QUICK SPECS

Rated Operating Capacity.....	1,300 lbs.
Engine Model	1.8L Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower	49
Hydraulic Pump Capacity-Standard Flow	16.7 GPM
Travel Speed.....	7.1 MPH
Travel Speed – 2 Speed with SJC	6.5/9.2 MPH
Operating Weight	5,027 lbs.
Shipping Weight.....	4,520 lbs.
Cab Height.....	77.8"
Width (w/out Attachment).....	58.6"
Length (w/out Attachment)	98.4"
Wheelbase	35.4"
Reach at Maximum Height.....	20.8"
Height to Hinge Pin	109.5"

S450 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0201	S450 SKID STEER LOADER (EQUIPPED WITH TIER 4 ENGINE)	\$33,085
-------	--	----------

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-A51	A51 OPTION PACKAGE	\$4,828
-------------	--------------------------	---------

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-H51	H51 OPTION PACKAGE	\$3,393
-------------	--------------------------	---------

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-O31	O31 OPTION PACKAGE	\$797
-------------	--------------------------	-------

O31
Suspension Seat
Cab Accessories Package*

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.*

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

When ordering S450's with Advanced Control System (ACS) or Selectable Joystick Controls (SJC), allow an additional 6 to 8 weeks above normal delivery times due to shipping.

Controls

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS)	\$1,575
-------------	-------------------------------------	---------

ACS allows operator to select either hand or foot control of lift and tilt functions.
The Cab Accessories Package which is included in all Cab Packages is **required**. If a Cab Package is not ordered, the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for.....

M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC) WITH 2 SPEED.....	\$2,660
-------------	---	---------

Features include: 2 Speed Travel, Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.
Must order an A, H or O Cab Package.

Tires

Set of 4 Tires in Place of Base Equipment

M__-R09-C14	7.00x15, 8PR, NARROW TIRES	\$95
-------------	----------------------------------	------

Loader width 52"

S450 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
<u><i>Spare Wheel and Tire Assemblies</i></u>		
7210487	10-16.5, 8 PR, BOBCAT STANDARD DUTY TIRE - LEFT Spare Wheel and Tire Assembly.	\$215
7210488	10-16.5, 8 PR, BOBCAT STANDARD DUTY TIRE - RIGHT Spare Wheel and Tire Assembly.	\$215
7109588	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE - LEFT..... Spare Wheel and Tire Assembly.	\$278
7109589	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE - RIGHT Spare Wheel and Tire Assembly.	\$278
7109596	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRE Spare Wheel and Tire Assembly.	\$452
7109604	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRE-POLY-FILL Spare Wheel and Tire Assembly.	\$604

S450 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Part numbers for kits in this section are current as of May 2015 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories – Enclosures, Doors, Windows

7128393	CAB ENCLOSURE DOOR KIT Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit and Cab Seals Kit to completely enclose cab. Est. Install time: 3.5 hrs.	\$ _____
7186723	FOPS WINDOW KIT Est. Install time: 10 min.	\$ _____
7174127	FORESTRY DOOR KIT Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install time: 2 hrs.	\$ _____
7182335	SLIDING SIDE LEXAN WINDOWS KIT Includes 2 Sliding Side Lexan Windows. Est. Install time: 1 hr.	\$ _____
7128342	SLIDING SIDE WINDOWS KIT Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install time: 1 hr.	\$ _____
7128395	SPECIAL APPLICATIONS POLYCARBONATE DOOR KIT Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install time: 3 hrs.	\$ _____
7214673	SPECIAL APPLICATIONS POLYCARBONATE REAR WINDOW KIT Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install time: 0.5 hr.	\$ _____

Cab Accessories – Heat and Air Conditioning

7244628	AIR CONDITIONING KIT Loader must be equipped with Cab Enclosure with Heater. Est. Install time:	\$ _____
7128484	HEATER KIT Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install time: 5 hrs. to install heater and plumbing kit	\$ _____
7244626	HEATER PLUMBING KIT Est. Install time: 5 hrs. to install heater and plumbing kit	\$ _____

Cab Accessories – Other

_____	CAB ACCESSORY HARNESS & LOWER INTERIOR PANELS KIT See Dealer Parts Department for the correct kit part number. This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning Headliner Kit & Cup Holder Kit to finish interior. Est. Install time: 5 hrs.	\$ _____
7167395	CUP HOLDER KIT Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install time: 1 hr.	\$ _____
7227849	CAB SEALS KIT Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.	\$ _____

S450 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Cab Accessories – Other (continued)

7170782	DELUXE CAB GAS SPRING KIT 3rd gas spring for enclosed cab. Est. Install time: 1 hr.	\$ _____
7156253	DELUXE HEADLINER KIT Includes headliner with light and rear corner cab trim. Est. Install time: 1 hr.	\$ _____
7174171	DELUXE HEATER / AIR CONDITIONING HEADLINER KIT..... Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install time: 1 hr.	\$ _____
7196560	FORESTRY WIPER KIT Loader must be equipped with Forestry Door; Reference P/N 7174127 Forestry Door or 7230523 Forestry Applications Kit for detail. Est. Install time: 1 hr	\$ _____
7196560	HEPA FILTER KIT Est. Install time: 0.5 hr	\$ _____
7240148	INTERMITTENT WIPER KIT Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install time: 1 hr.	\$ _____
7234899	REAR WINDOW EXTERNAL REMOVAL KIT Recommended for use with Loader Radio Remote Control kit. Est. Install time: 1 hr.	\$ _____
7225133	REAR WIPER KIT Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Deluxe Headliner, Lower Interior Panels and Front Door with Wiper are also required. Wiper is activated by a switch on the rear wiper motor. Est. Install time: 4 hrs.	\$ _____
7172897	RESEAL PLUGS KIT..... Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.	\$ _____
7172903	WHITE DECAL KIT (CAB TOP)..... Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install time: 0.5 hr.	\$ _____

Counterweight Kits

7204315	COUNTERWEIGHT KIT- AXLE..... Includes axle weights and hardware. When installed on front axles: Increases down force on attachments but does not increase the Rated Operating Capacity (ROC) of the loader. When installed on rear axles: Provides additional Rated Operating Capacity (ROC), see operator's Manual for ROC increase. Est. Install time: 1.5 hrs.	\$ _____
---------	--	----------

S450 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Electrical Accessories</u>		
	ATTACHMENT CONTROL KIT	\$ _____
	For complete listing of Attachment Control Kits, P/N's and Descriptions – Refer to Attachments Section of the Price Pages.	
7169103	CAB ACCESSORY ADAPTER HARNESS	\$ _____
	For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install time: 0.5 hr.	
7128338	FOUR-WAY FLASHER / TURN SIGNAL KIT	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	
7129299	ROTATING BEACON KIT.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	
7129301	STROBE LIGHT KIT, AMBER	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	
<u>Engine Accessories</u>		
7237289	ENGINE BLOCK HEATER	\$ _____
	Est. Install time: 0.25 hrs.	
<u>Hydraulic Accessories</u>		
7254136	HYDRAULIC BUCKET POSITIONING KIT.....	\$ _____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time:	
7249869	REAR AUXILIARY HYDRAULIC KIT	\$ _____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
<u>Instrumentation</u>		
7213928	DELUXE INSTRUMENT PANEL WITH KEYLESS START	\$ _____
	Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install time: 1 hr.	
7213929	KEYLESS START PANEL KIT	\$ _____
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install time: 1 hr.	
<u>Lift Kits</u>		
7241506	FOUR-POINT LIFT KIT.....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time:	
7241548	SINGLE POINT LIFT KIT	\$ _____
	Est. Install time:	
<u>Loader Guard Kits</u>		
7251551	CROSS MEMBER TUBE LINE SHIELD KIT.....	\$ _____
7129293	FOPS KIT.....	\$ _____
	Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install time: 1 hr.	
7239159	REAR WORK LIGHTS GUARD KIT	\$ _____
	Est. Install time: 0.5 hr.	
7174129	FRONT WORK LIGHTS GUARD KIT	\$ _____
	Est. Install time: 0.5 hr.	
7248293	TILT CYLINDER SHIELD KIT.....	\$ _____
	Est. Install time: 0.5 hr.	

S450 (Tier 4)

BOBCAT SKID STEER LOADER


PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Power Bob-Tach Kits</u>		
7254137	POWER BOB-TACH KIT AND PLUMBING KIT Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install time: to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
<u>Radio</u>		
6988435	RADIO KIT..... Includes weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Works with MP3 or other portable music player. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install time: 3 hrs.	\$ _____
6676108	RADIO HEADPHONES	\$ _____
<u>Remote Control Kits</u>		
7185234	LOADER RADIO REMOTE CONTROL KIT Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC) or All Wheel Steer Loaders. Requires version 57 software or newer. Est. Install time: 0.5 hr.	\$ _____
6986516	LOADER RADIO REMOTE OPERATOR TRAINING KIT.....	\$ _____
<u>Ride Control Kits</u>		
7246068	RIDE CONTROL KIT..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time:	\$ _____
<u>Seats & Seat Belts</u>		
6703640	SEAT BELT KIT, 3" (STANDARD SEAT)..... For use with Standard Seat only. Includes 3" lap belt. Est. Install time: 0.5 hr.	\$ _____
7129303	SEAT BELT KIT, 3" (SUSPENSION SEAT) For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.	\$ _____
7128405	SEAT BELT KIT, 3-POINT For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install time: 0.5 hr.	\$ _____
7169480	SEAT BELT KIT-3" , 3-POINT..... For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install time: 0.5 hr.	\$ _____
7128524	SUSPENSION SEAT Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.	\$ _____
7183366	SUSPENSION SEAT, AIR RIDE Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.	\$ _____
<u>Sound Reduction Kits</u>		
7254140	SOUND REDUCTION KIT Includes insulating materials and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install time: 2 hrs.	\$ _____
7252091	DELUXE SOUND KIT FOR STANDARD OR ACS CONTROLS Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	\$ _____
7252092	DELUXE SOUND KIT FOR SJC CONTROLS..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	\$ _____

S450 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Training Kits</u>		
6901726	BOBCAT LOADER OPERATOR TRAINING KIT	\$ _____
6900641	BOBCAT LOADER SERVICE TRAINING KIT	\$ _____
6904762	BOBCAT OPERATOR SAFETY DVD Includes all of the 10-minute operator safety videos in both English and Spanish.	\$ _____
<u>Other Accessories</u>		
7129307	FIRE EXTINGUISHER KIT Est. Install time: 0.5 hr.	\$ _____
7257869	LOADER WEIGHLOG SCALE KIT Measures hydraulic pressure at a specific position during the lifting cycle for either static or dynamic weighing. The weighlog kit is not a certified scale. Please see Bobcat Parts Sales & Merchandising Manual for additional details. Est. Install time: 4 hrs.	\$ _____
7023550	LOCKING FUEL CAP Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	\$ _____
7128403	SECURITY LOCKS KIT Est. Install time: 0.5 hr.	\$ _____

S510/S530 (Tier 4) BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

49 HP Turbo Tier 4 Diesel Engine
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Cylinder Cushioning – Lift, Tilt
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Gauges,
 Hourmeter, RPM and Warning Lights
 Lift Arm Support
 Lift Path: Radius (S510), Vertical (S530)

Lights, Front & Rear
 Operator Cab

- Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

 Spark Arrestor Exhaust System
 Tires: 10-16.5, 8 PR, Bobcat Standard Duty
 Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	S510	S530
Rated Operating Capacity	1,650 lbs.	1,850 lbs.
Engine Model	2.4L Bobcat Engine	2.4L Bobcat Engine
Engine Fuel	Diesel	Diesel
Engine Cooling	Liquid	Liquid
Horsepower	49	49
Hydraulic Pump Capacity – Standard Flow	17.1 GPM	17.1 GPM
Travel Speed	7.4 MPH	7.4 MPH
Travel Speed – 2 Speed Option	7.4/11.0 MPH	7.4/11.0 MPH
Operating Weight	6,213 lbs.	6,480 lbs.
Shipping Weight	5,495 lbs.	5,812 lbs.
Cab Height	77.8"	77.8"
Width (w/out Attachment)	64.7"	64.7"
Length (w/out Attachment)	104.6"	104.6"
Wheelbase	42.6"	42.6"
Reach at Maximum Height	17.0"	32.6"
Height to Hinge Pin	114.5"	119.0"

S510/S530 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0251	S510 SKID STEER LOADER (EQUIPPED WITH TIER 4 ENGINE)	\$34,561
M0257	S530 SKID STEER LOADER (EQUIPPED WITH TIER 4 ENGINE)	\$36,144

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-H51	H51 OPTION PACKAGE	\$3,393
-------------	--------------------------	---------

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-O71	O71 OPTION PACKAGE	\$2,305
M__-P01-O51	O51 OPTION PACKAGE	\$1,397
M__-P01-O31	O31 OPTION PACKAGE	\$797

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.*

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

<u>Controls</u>		
M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS)	\$1,575
	ACS allows operator to select either hand or foot control of lift and tilt functions. <i>The Cab Accessories Package which is included in all Cab Packages is required. If a Cab Package is not ordered, the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for.....</i>	\$415
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC)	\$1,515
	Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. Also includes Auto Idle <u>for a limited time only</u> . <u>Must order</u> an A, H or O Cab Package.	

S510/S530 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

Other Options and Option Combinations

Option Requirements

NOTE: The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.

CAB ACCESSORIES PACKAGE

Required for Hydraulic Bucket Positioning. The Cab Accessories Package is included in all Cab Packages. If a Cab Package is not ordered, you must add..... **\$417**

SUSPENSION SEAT

Required for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add **\$499**

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, COLD WEATHER PACKAGE ..	\$2,197
M__-P03-F20	TWO SPEED, COLD WEATHER PACKAGE	\$1,741
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$468
M__-R31-C02	COLD WEATHER PACKAGE	\$200

Option Descriptions

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.
Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.

TWO SPEED

Includes 2-speed motors and 3-Point Seat Belt.
Low Travel Speed 7.4 MPH, High Travel Speed 11.0 MPH.
Suspension seat must be required. See NOTE above.

COLD WEATHER PACKAGE

Includes engine block heater and larger battery (950 cca).

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT	\$314
	Must order an A, H or O cab package.	
M__-R26-C02	RADIO.....	\$417
	Must order an A, H or O cab package. Works with MP3 or other portable music player. Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna.	

NOTE: The Air Ride Suspension Seat and Radio will be available for a limited time only before they become part of Cab Package(s) or Option Combinations

Tires

Set of 4 Tires in Place of Base Equipment

M__-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES	\$247
	Loader width 64.7"	
M__-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET	\$289
	Loader width 59.5"	
M__-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES	\$929
	Loader width 64.3"	
M__-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES	\$1,544
	Loader width 64.3"	
M__-R09-C06	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRES	\$582
	Loader width 65.2"	

S550/S570/S590 (Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

61.0 HP Turbo Tier 4 Diesel Engine (S550/S570)
 66.0 HP Turbo Tier 4 Diesel Engine (S590)
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Cylinder Cushioning – Lift, Tilt
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Gauges,
 Hourmeter, RPM and Warning Lights
 Lift Arm Support

Lift Path: Radius (S550), Vertical (S570/S590)
 Lights, Front & Rear
 Operator Cab

- Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

 Spark Arrestor Exhaust System
 Tires: 10-16.5, 8 PR, Bobcat Standard Duty (S550/S570)
 Tires: 31 x 12-16.5, 10 PR, Bobcat Heavy Duty (S590)
 Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	S550	S570	S590
Rated Operating Capacity	1,750 lbs.	1,950 lbs.	2,100 lbs.
Engine Model	2.4L Bobcat Engine	2.4L Bobcat Engine	2.4L Bobcat Engine
Engine Fuel	Diesel	Diesel	Diesel
Engine Cooling	Liquid	Liquid	Liquid
Horsepower	61.0	61.0	66.0
Hydraulic Pump Capacity-Standard Flow	17.1 GPM	17.1 GPM	17.1 GPM
Hydraulic Pump Capacity-High Flow (Optional)	26.7 GPM	26.7 GPM	26.7 GPM
Travel Speed	7.4 MPH	7.4 MPH	7.4 MPH
Travel Speed – 2 Speed Option	7.4/11.0 MPH	7.4/11.0 MPH	7.4/11.0 MPH
Operating Weight	6,213 lbs.	6,480 lbs.	6,593 lbs.
Shipping Weight	5,495 lbs.	5,812 lbs.	5,937 lbs.
Cab Height	77.8"	77.8"	77.8"
Width (w/out Attachment)	64.7"	64.7"	65.2"
Length (w/out Attachment)	104.6"	104.6"	104.6"
Wheelbase	42.6"	42.6"	42.6"
Reach at Maximum Height	17.0"	32.6"	32.6"
Height to Hinge Pin	114.5"	119.0"	119.0"

S550/S570/S590 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M0253	S550 SKID STEER LOADER (EQUIPPED WITH TIER 4 ENGINE)	\$37,679
M0259	S570 SKID STEER LOADER (EQUIPPED WITH TIER 4 ENGINE)	\$39,780
M0261	S590 SKID STEER LOADER (EQUIPPED WITH TIER 4 ENGINE)	\$40,924

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M__-P01-A91	A91 OPTION PACKAGE	\$9,788
M__-P01-A71	A71 OPTION PACKAGE	\$6,165
M__-P01-A51	A51 OPTION PACKAGE	\$4,930
M__-P01-A31	A31 OPTION PACKAGE	\$4,295

A31
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Two Speed w/ SAPR Brake
3-Point Seat Belt
Hydraulic Bucket Positioning
Cold Weather Package

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M__-P01-H51	H51 OPTION PACKAGE	\$3,495
-------------	--------------------------	---------

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M__-P01-O71	O71 OPTION PACKAGE	\$2,373
M__-P01-O51	O51 OPTION PACKAGE	\$1,440
M__-P01-O31	O31 OPTION PACKAGE	\$822

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.*

S550/S570/S590 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Controls

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS)		\$1,575
	ACS allows operator to select either hand or foot control of lift and tilt functions. <i>The Cab Accessories Package which is included in all Cab Packages is required. If a Cab Package is not ordered, the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for</i>		
			\$415
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC)		\$1,515
	Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. Also includes Auto Idle for a limited time only . Must order an A, H or O Cab Package.		

Other Options and Option Combinations

Option Requirements

NOTE: *The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.*

CAB ACCESSORIES PACKAGE

Required for Hydraulic Bucket Positioning. The Cab Accessories Package is included in all Cab Packages. If a Cab Package is not ordered, you must add **\$415**

SUSPENSION SEAT

Required for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add **\$499**

7-PIN ATTACHMENT CONTROL KIT

Required for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add **\$205**

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-P03-F50	HIGH FLOW HYDRAULICS, TWO SPEED, HYDRAULIC BUCKET POSITIONING, COLD WEATHER PACKAGE	\$3,732
M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,571
M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, COLD WEATHER PACKAGE ..	\$2,197
M__-P03-F20	TWO SPEED, COLD WEATHER PACKAGE	\$1,741
M__-R04-C02	TWO SPEED	\$1,582
M__-P03-F10	HYDRAULIC BUCKET POSITIONING, COLD WEATHER PACKAGE	\$653
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$468
M__-R31-C02	COLD WEATHER PACKAGE	\$200

Option Descriptions

HIGH FLOW HYDRAULICS

Provides 26.7 GPM and 3500 PSI for attachment operation.
The 7 pin attachment control kit is required. See NOTE above.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.
Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.

TWO SPEED

Includes 2-speed motors and 3-Point Seat Belt.
Low Travel Speed 7.4 MPH, High Travel Speed 11.0 MPH.
Suspension seat must is required. See NOTE above.

COLD WEATHER PACKAGE

Includes engine block heater and larger battery (950 cca).

S550/S570/S590 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT Must order an A, H or O cab package.	\$314
M__-R26-C02	RADIO Must order an A, H or O cab package. Works with MP3 or other portable music player. Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna.	\$417

NOTE: *The Air Ride Suspension Seat and Radio will be available for a limited time only before they become part of Cab Package(s) or Option Combinations.*

Tires (S550 & S570)

Set of 4 Tires in Place of Base Equipment

M__-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES Loader width 64.7"	\$247
M__-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET Loader width 59.5"	\$289
M__-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES Loader width 64.3"	\$929
M__-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES Loader width 64.3"	\$1,544
M__-R09-C06	31 X 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRES Loader width 65.2"	\$582

Tires (S590)

Set of 4 Tires in Place of Base Equipment

M0261-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES Loader width 64.7"	\$0
M0261-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET Loader width 59.5"	\$53
M0261-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES Loader width 64.3"	\$688
M0261-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES Loader width 64.3"	\$1,302

S595 (Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

74.0 HP Turbo Tier 4 Diesel Engine
 2-Speed Travel
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Cylinder Cushioning – Lift, Tilt
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Gauges,
 Hourmeter, RPM and Warning Lights
 Lift Arm Support

Lift Path: Vertical
 Lights, Front & Rear
 Operator Cab

- Includes: Adjustable Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & 3 Point Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

 Spark Arrestor Exhaust System
 Tires: 31 x 12-16.5, 10 PR, Bobcat Heavy Duty
 Warranty: 12 Months, Unlimited Hours

QUICK SPECS

S595	
Rated Operating Capacity	2,200 lbs.
Engine Model	2.4L Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74.0
Hydraulic Pump Capacity-Standard Flow	17.1 GPM
Hydraulic Pump Capacity-High Flow (Optional)	26.7 GPM
Travel Speed (Low Range)	7.4 MPH
Travel Speed (High Range)	7.4/11.0 MPH
Operating Weight	6,793 lbs.
Shipping Weight	6,137 lbs.
Cab Height	77.8"
Width (w/out Attachment)	65.2"
Length (w/out Attachment)	104.6"
Wheelbase	42.6"
Reach at Maximum Height	32.6"
Height to Hinge Pin	119.0"

S595 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0247	S595 SKID STEER LOADER (EQUIPPED WITH TIER 4 ENGINE)	\$43,850
-------	--	----------

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-A91	A91 OPTION PACKAGE	\$8,116
M__-P01-A71	A71 OPTION PACKAGE	\$5,847
M__-P01-A51	A51 OPTION PACKAGE	\$4,612
M__-P01-A31	A31 OPTION PACKAGE	\$3,977

A31
Enclosed Cab with AC/Heat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Hydraulic Bucket Positioning
Cold Weather Package

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-H51	H51 OPTION PACKAGE	\$3,177
-------------	--------------------------	---------

H51
Enclosed Cab with Heat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-O71	O71 OPTION PACKAGE	\$2,055
M__-P01-O51	O51 OPTION PACKAGE	\$1,122

O51
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.*

S595 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Controls

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS) ACS allows operator to select either hand or foot control of lift and tilt functions. <i>*The Cab Accessories Package is required.</i>	\$1,575
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC) Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. Also includes Auto Idle <i>for a limited time only</i> . <i>*The Cab Accessories Package is required.</i>	\$1,515

Other Options and Option Combinations

Option Requirements

NOTE: *The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.*

CAB ACCESSORIES PACKAGE

Required for Hydraulic Bucket Positioning, ACS and SJC. The Cab Accessories Package is included in all Cab Packages. If a Cab Package is not ordered, you must add..... **\$415**

7-PIN ATTACHMENT CONTROL KIT

Required for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add **\$205**

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,571
M__-P03-F10	HYDRAULIC BUCKET POSITIONING, COLD WEATHER PACKAGE	\$653
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$468
M__-R31-C02	COLD WEATHER PACKAGE	\$200

Option Descriptions

HIGH FLOW HYDRAULICS

Provides 26.7 GPM and 3500 PSI for attachment operation.
 The 7 pin attachment control kit is required. See NOTE above.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.
 Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.

COLD WEATHER PACKAGE

Includes engine block heater and larger battery (950 cca).

S595 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT Must order an A, H or O cab package.	\$314
M__-R26-C02	RADIO Must order an A, H or O cab package. Works with MP3 or other portable music player. Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna.	\$417

NOTE: *The Air Ride Suspension Seat and Radio will be available for a limited time only before they become part of Cab Package(s) or Option Combinations.*

Tires (S595)

Set of 4 Tires in Place of Base Equipment

M0247-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES Loader width 64.7"	\$0
M0247-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET Loader width 59.5"	\$53
M0247-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES Loader width 64.3"	\$688
M0247-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES Loader width 64.3"	\$1,302

S510/S530/S550/S570/S590/S595 (Tier 4)**BOBCAT SKID STEER LOADER**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
<i>Spare Wheel and Tire Assemblies</i>		
7210487	10-16.5, 8 PR, BOBCAT STANDARD DUTY TIRE - LEFT	\$215
	Spare Wheel and Tire Assembly. S510/S530/S550/S570 Loader Width 64.7"	
7210488	10-16.5, 8 PR, BOBCAT STANDARD DUTY TIRE - RIGHT.....	\$215
	Spare Wheel and Tire Assembly. S510/S530/S550/S570 Loader Width 64.7"	
7109588	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE - LEFT	\$278
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590/S595 Loader Width 64.7"	
7109589	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE - RIGHT	\$278
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590/S595 Loader Width 64.7"	
7109592	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE-OFFSET - LEFT.....	\$289
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590/S595 Loader Width 59.5"	
7109593	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE-OFFSET - RIGHT	\$289
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590/S595 Loader Width 59.5"	
7109596	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRE.....	\$452
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590/S595 Loader Width 64.3"	
7109604	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRE-POLY-FILL	\$604
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590/S595 Loader Width 64.3"	
7211383	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRE ASSY - LEFT..	\$415
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590/S595 Loader Width 65.2"	
7211384	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRE ASSY - RIGHT	\$415
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590/S595 Loader Width 65.2"	

S510/S530/S550/S570/S590/S595 (Tier 4)

BOBCAT SKID STEER LOADERS

PART DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS

NUMBER	DESCRIPTION
--------	-------------

Part numbers for kits in this section are current as of May 2015 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories – Enclosures, Doors, Windows

7128393	CAB ENCLOSURE DOOR KIT \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit and Cab Seals Kit to completely enclose cab. Est. Install time: 3.5 hrs.
7186723	FOPS WINDOW KIT \$ _____ Est. Install time: 10 min.
7174127	FORESTRY DOOR KIT..... \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install time: 2 hrs.
7182335	SLIDING SIDE LEXAN WINDOWS KIT \$ _____ Includes 2 Sliding Side Lexan Windows. Est. Install time: 1 hr.
7128342	SLIDING SIDE WINDOWS KIT..... \$ _____ Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install time: 1 hr.
7128395	SPECIAL APPLICATIONS POLYCARBONATE DOOR KIT..... \$ _____ Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install time: 3 hrs.
7214673	SPECIAL APPLICATIONS POLYCARBONATE REAR WINDOW KIT..... \$ _____ Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install time: 0.5 hr.

Cab Accessories – Heat and Air Conditioning

7236389	AIR CONDITIONING KIT (S550/S570/S590/S595) \$ _____ Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8 hrs.
7128484	HEATER KIT \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install time: 5 hrs. to install heater and plumbing kit
7236388	HEATER PLUMBING KIT \$ _____ Est. Install time: 5 hrs. to install heater and plumbing kit
7200657	LOWER AIR DUCT KIT \$ _____ Includes two additional air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install time: 1-3 hrs. (depends on loader model and s/n)

Cab Accessories – Other

_____	CAB ACCESSORY HARNESS & LOWER INTERIOR PANELS KIT \$ _____ See Dealer Parts Department for the correct kit part number. This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning Headliner Kit & Cup Holder Kit to finish interior. Est. Install time: 5 hrs.
7167395	CUP HOLDER KIT..... \$ _____ Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install time: 1 hr.
7227849	CAB SEALS KIT..... \$ _____ Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.

S510/S530/S550/S570/S590/S595 (Tier 4)**BOBCAT SKID STEER LOADERS**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Cab Accessories – Other (continued)

7170782	DELUXE CAB GAS SPRING KIT \$_____
	3rd gas spring for enclosed cab. Est. Install time: 1 hr.
7156253	DELUXE HEADLINER KIT \$_____
	Includes headliner with light and rear corner cab trim. Est. Install time: 1 hr.
7174171	DELUXE HEATER / AIR CONDITIONING HEADLINER KIT \$_____
	Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install time: 1 hr.
7196560	FORESTRY WIPER KIT \$_____
	Loader must be equipped with Forestry Door; Reference P/N 7174127 Forestry Door or 7230523 Forestry Applications Kit for detail. Est. Install time: 1 hr.
7238900	HEPA FILTER KIT \$_____
	Est. Install time: 0.5 hr.
7240148	INTERMITTENT WIPER KIT \$_____
	Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install time: 1 hr.
6725946	REAR WINDOW EXTERNAL REMOVAL KIT \$_____
	Recommended for use with Loader Radio Remote Control kit. Est. Install time: 1 hr.
7225133	REAR WIPER KIT \$_____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Deluxe Headliner, Lower Interior Panels and Front Door with Wiper are also required. Wiper is activated by a switch on the rear wiper motor. Est. Install time: 4 hrs.
7172897	RESEAL PLUGS KIT \$_____
	Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.
7172903	WHITE DECAL KIT (CAB TOP) \$_____
	Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install time: 0.5 hr.

Counterweight Kits

7204315	COUNTERWEIGHT KIT- FRONT AXLE \$_____
	Includes axle weights and hardware. Increases down force on attachments. It does not increase the Rated Operating Capacity (ROC) of the loader. Est. Install time: 1.5 hrs.
7129250	COUNTERWEIGHT KIT, 200 LBS (S510/S530/S550/S570/S590)..... \$_____
	Includes (4) 50 lb weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install time: 1 hr.

S510/S530/S550/S570/S590/S595 (Tier 4)**BOBCAT SKID STEER LOADERS**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Electrical Accessories

	ATTACHMENT CONTROL KIT	\$ _____
	For complete listing of Attachment Control Kits, P/N's and Descriptions – Refer to Attachments Section of the Price Pages.	
7169103	CAB ACCESSORY ADAPTER HARNESS.....	\$ _____
	For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install time: 0.5 hr.	
7128338	FOUR-WAY FLASHER / TURN SIGNAL KIT.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	
7129299	ROTATING BEACON KIT	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	
7129301	STROBE LIGHT KIT, AMBER.....	\$ _____
	Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	

Engine Accessories

7239665	ENGINE BLOCK HEATER.....	\$ _____
	Est. Install time: 0.25 hrs.	

Hydraulic Accessories

7129447	HYDRAULIC BUCKET POSITIONING KIT (S510/S550)	\$ _____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time: 3 hrs.	
7128442	HYDRAULIC BUCKET POSITIONING KIT (S530/S570/S590/S595).....	\$ _____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time: 3 hrs.	
7208031	LIFT CYLINDER CUSHION PISTON (S530/S570/S590/S595)	\$ _____
	Softens the contact between the lift arms and mainframe reducing noise. Must also order Piston Nut p/n 6810539.	
7229294	REAR AUXILIARY HYDRAULIC KIT.....	\$ _____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	

Instrumentation

7213928	DELUXE INSTRUMENT PANEL WITH KEYLESS START.....	\$ _____
	Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install time: 1 hr.	
7213929	KEYLESS START PANEL KIT	\$ _____
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install time: 1 hr.	

Lift Kits

7161980	FOUR-POINT LIFT KIT (S510/S550)	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.	
7161979	FOUR-POINT LIFT KIT (S530/S570/S590/S595).....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.	
7193579	SINGLE POINT LIFT KIT.....	\$ _____
	Est. Install time: 3 hrs.	

S510/S530/S550/S570/S590/S595 (Tier 4)**BOBCAT SKID STEER LOADERS**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Loader Guard Kits</u>		
7233421	ENGINE COMPARTMENT SEAL KIT (S530,S570,S590/S595) Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1 hr.	\$ _____
7246231	ENGINE COMPARTMENT SEAL KIT (S510/S550) Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1 hr.	\$ _____
7129293	FOPS KIT Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install time: 1 hr.	\$ _____
7174128	REAR WORK LIGHTS GUARD KIT Est. Install time: 0.5 hr.	\$ _____
7174129	FRONT WORK LIGHTS GUARD KIT Est. Install time: 0.5 hr.	\$ _____
7250844	COUPLER GUARD KIT Est. Install time: 5 min.	\$ _____
7244920	MUFFLER GUARD KIT Est. Install time: 0.25 hr.	\$ _____
7249240	POWER BOBTACH GUARD KIT Est. Install time: 0.25 hr.	\$ _____
7203665	REAR BUMPER KIT Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install time: 1 hr.	\$ _____
7222173	TILT CYLINDER SHIELD KIT Est. Install time: 0.5 hr.	\$ _____
<u>Power Bob-Tach Kits</u>		
7261309	POWER BOB-TACH KIT Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
7261299	POWER BOB-TACH PLUMBING KIT Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
<u>Radio</u>		
6988435	RADIO KIT Includes weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Works with MP3 or other portable music player. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install time: 3 hrs.	\$ _____
6676108	RADIO HEADPHONES	\$ _____
<u>Remote Control Kits</u>		
7185234	LOADER RADIO REMOTE CONTROL KIT Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC) or All Wheel Steer Loaders. Requires version 57 software or newer. Est. Install time: 0.5 hr.	\$ _____
6986516	LOADER RADIO REMOTE OPERATOR TRAINING KIT	\$ _____
<u>Ride Control Kits</u>		
7244604	RIDE CONTROL KIT Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: 1.5 hrs.	\$ _____

S510/S530/S550/S570/S590/S595 (Tier 4)**BOBCAT SKID STEER LOADERS**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Seats & Seat Belts</u>		
6703640	SEAT BELT KIT, 3" (STANDARD SEAT) For use with Standard Seat only. Includes 3" lap belt. Est. Install time: 0.5 hr.	\$ _____
7129303	SEAT BELT KIT, 3" (SUSPENSION SEAT) For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.	\$ _____
7128405	SEAT BELT KIT, 3-POINT For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install time: 0.5 hr.	\$ _____
7169480	SEAT BELT KIT-3", 3-POINT..... For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install time: 0.5 hr.	\$ _____
7128524	SUSPENSION SEAT..... Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.	\$ _____
7183366	SUSPENSION SEAT, AIR RIDE Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.	\$ _____
<u>Sound Reduction Kits</u>		
7207378	SOUND REDUCTION KIT Includes insulating materials and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install time: 2 hrs.	\$ _____
7207380	DELUXE SOUND KIT FOR STANDARD OR ACS CONTROLS..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	\$ _____
7207381	DELUXE SOUND KIT FOR SJC CONTROLS Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	\$ _____
<u>Training Kits</u>		
6901726	BOBCAT LOADER OPERATOR TRAINING KIT	\$ _____
6900641	BOBCAT LOADER SERVICE TRAINING KIT	\$ _____
6904762	BOBCAT OPERATOR SAFETY DVD..... Includes all of the 10-minute operator safety videos in both English and Spanish.	\$ _____
<u>Other Accessories</u>		
7243539	AIR DEFLECTOR KIT Est. Install time: 0.5 hr.	\$ _____
7129307	FIRE EXTINGUISHER KIT Est. Install time: 0.5 hr.	\$ _____
7257869	LOADER WEIGHLOG SCALE KIT Measures hydraulic pressure at a specific position during the lifting cycle for either static or dynamic weighing. The weighlog kit is not a certified scale. Please see Bobcat Parts Sales & Merchandising Manual for additional details. Est. Install time: 4 hrs.	\$ _____
7023550	LOCKING FUEL CAP Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	\$ _____
7128403	SECURITY LOCKS KIT Est. Install time: 0.5 hr.	\$ _____

S630/S650 (Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

74 HP Turbo Tier 4 Diesel Engine
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Cylinder Cushioning – Lift, Tilt
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Gauges,
 Hourmeter, RPM and Warning Lights
 Lift Arm Support
 Lift Path: Radius (S630), Vertical (S650)

Lights, Front & Rear
 Operator Cab

- Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

 Spark Arrestor Exhaust System
 Tires: 12-16.5, 12 PR, Bobcat Heavy Duty
 Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	<u>S630</u>	<u>S650</u>
Rated Operating Capacity	2,180 lbs.	2,690 lbs.
Engine Model	2.4L Bobcat Engine	2.4L Bobcat Engine
Engine Fuel.....	Diesel	Diesel
Engine Cooling	Liquid	Liquid
Horsepower.....	74	74
Hydraulic Pump Capacity – Standard Flow.....	23 GPM	23 GPM
Hydraulic Pump Capacity – High Flow (Optional)	30.5 GPM	30.5 GPM
Travel Speed	7.1 MPH	7.1 MPH
Travel Speed – 2 Speed Option	7.1/12.3 MPH	7.1/12.3 MPH
Operating Weight	7,610 lbs.	8,061 lbs.
Shipping Weight	7,057 lbs.	7,371 lbs.
Cab Height.....	81.3"	81.3"
Width (w/out Attachment).....	72.1"	72.1"
Length (w/out Attachment).....	108.4"	108.4"
Wheelbase.....	45.3"	45.3"
Reach at Maximum Height.....	21.4"	31.5"
Height to Hinge Pin	121.0"	124.0"

S630/S650 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0265	S630 SKID STEER LOADER (EQUIPPED WITH T4 ENGINE).....	\$43,722
M0269	S650 SKID STEER LOADER (EQUIPPED WITH T4 ENGINE).....	\$46,141

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-A91	A91 OPTION PACKAGE.....	\$10,137
M__-P01-A71	A71 OPTION PACKAGE.....	\$6,349
M__-P01-A51	A51 OPTION PACKAGE.....	\$5,076
M__-P01-A31	A31 OPTION PACKAGE.....	\$4,425

A31
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Two Speed with SAPR Brake
3-Point Seat Belt
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-H51	H51 OPTION PACKAGE	\$3,600
-------------	--------------------------	---------

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-O71	O71 OPTION PACKAGE	\$2,443
M__-P01-O51	O51 OPTION PACKAGE	\$1,484
M__-P01-O31	O31 OPTION PACKAGE	\$848

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

*Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.

S630/S650 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
<u>Control Options</u>		
M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS) ACS allows operator to select either hand or foot control of lift and tilt functions. <i>The Cab Accessories Package which is included in all Cab Packages is required. If a Cab Package is not ordered, the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for.....</i>	\$1,695 \$415
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC) Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. Also includes Auto Idle <u>for a limited time only</u> . <u>Must order</u> an A, H or O Cab Package	\$1,765
<u>Other Options and Option Combinations</u>		
<u>Option Requirements</u>		
NOTE:	<i>The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.</i>	
CAB ACCESSORIES PACKAGE		
	<u>Required</u> for Hydraulic Bucket Positioning. The Cab Accessories Package is included in all Cab Packages. If a Cab Package is not ordered, you must add.....	\$415
SUSPENSION SEAT		
	<u>Required</u> for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add	\$499
7-PIN ATTACHMENT CONTROL KIT		
	<u>Required</u> for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add.....	\$205
<u>May Choose Only ONE of the Following Options or Combinations</u>		
<i>The options and option combinations may require additional equipment for operation, see option requirements above for details.</i>		
M__-P03-F50	HIGH FLOW HYDRAULICS, TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$3,950
M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,883
M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$2,111
M__-P03-F20	TWO SPEED, ENGINE BLOCK HEATER	\$1,654
M__-R04-C02	TWO SPEED.....	\$1,582
M__-P03-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$566
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$468
M__-A01-C02	ENGINE BLOCK HEATER.....	\$111

Option Descriptions

HIGH FLOW HYDRAULICS

Provides 30.5 GPM and 3500 PSI for attachment operation.

The 7 pin attachment control kit is required. See NOTE above.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.

Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.

TWO SPEED

Includes 2-speed motors, Spring Applied/Pressure Release (SAPR) Brake and 3-Point Seat Belt.

Low Travel Speed 7.1 MPH, High Travel Speed 12.3 MPH. Suspension Seat is required.

S630/S650 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

FACTORY INSTALLED OPTIONS

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT	\$314
	<i>Must order an A, H or O Cab Package.</i>	
M__-R26-C02	RADIO.....	\$417
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player. <i>Must order an A, H or O Cab Package.</i>	

NOTE: *The Air Ride Suspension Seat and Radio will be available as individual options for a limited time only before they become part of Cab Package(s) or Option Combinations*

Tires

Set of 4 Tires in Place of Base Equipment

M__-R09-C03	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRES OFFSET	\$85
	Loader width 68.5"	
M__-R09-C04	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRES.....	\$840
	Loader width 71.5"	
M__-R09-C05	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY FILL TIRES	\$1,654
	Loader width 71.5"	
M__-R09-C11	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRES.....	\$882
	Loader width 74"	

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

DEALER INSTALLED ACCESSORIES – ORDER FROM SALES

Spare Wheel and Tire Assemblies

7109629	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-LEFT	\$362
	Spare Wheel and Tire Assembly. Loader width 72.1"	
7109630	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-RIGHT	\$362
	Spare Wheel and Tire Assembly. Loader width 72.1"	
7109633	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-LEFT.....	\$373
	Spare Wheel and Tire Assembly. Loader width 68.5"	
7109634	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-RIGHT	\$373
	Spare Wheel and Tire Assembly. Loader width 68.5"	
7109637	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRE ASSEMBLY	\$572
	Spare Wheel and Tire Assembly. Loader width 71.5"	
7109641	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY-FILL TIRE ASSEMBLY	\$772
	Spare Wheel and Tire Assembly. Loader width 71.5"	
7109645	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-LEFT	\$583
	Spare Wheel and Tire Assembly. Loader width 74"	
7109646	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-RIGHT	\$583
	Spare Wheel and Tire Assembly. Loader width 74"	

S740 (Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

74 HP Turbo Tier 4 Diesel Engine	Lift Arm Support
Air Intake Heater (Automatically Activated)	Lift Path: Vertical
Auxiliary Hydraulics: Variable Flow	Lights, Front & Rear
Backup Alarm	Operator Cab
Bob-Tach	<ul style="list-style-type: none"> Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
Bobcat Interlock Control System (BICS™)	<ul style="list-style-type: none"> Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Controls: Bobcat Standard	<ul style="list-style-type: none"> Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Cylinder Cushioning – Lift, Tilt	
Engine/Hydraulic Systems Shutdown	
Horn	
Instrumentation: Engine Temperature & Fuel	Tires: 12-16.5, 12 PR, Bobcat Heavy Duty
Gauges, Hourmeter, RPM and Warning Lights	Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	S740
Rated Operating Capacity	3,100 lbs.
Engine Model	3.4L Bobcat Engine
Engine Fuel	Diesel
Engine Cooling	Liquid
Horsepower	74
Hydraulic Pump Capacity-Standard Flow	23.0 GPM
Hydraulic Pump Capacity-High Flow (Optional)	30.5 GPM
Travel Speed	7.1 MPH
Travel Speed – 2 Speed Option	7.1/12.3 MPH
Operating Weight	8,794 lbs.
Shipping Weight	7,917 lbs.
Cab Height	81.3"
Width (w/out Attachment)	72.1"
Length (w/out Attachment)	114.3"
Wheelbase	48.3"
Reach at Maximum Height	31.5"
Height to Hinge Pin	132"

S740 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0275	S740 SKID STEER LOADER (EQUIPPED WITH T4 ENGINE).....	\$49,990
-------	---	----------

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-A91	A91 OPTION PACKAGE	\$10,137
M__-P01-A71	A71 OPTION PACKAGE	\$6,349
M__-P01-A51	A51 OPTION PACKAGE	\$5,076
M__-P01-A31	A31 OPTION PACKAGE	\$4,425

A31
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Two Speed w/ SAPR Brake
3-Point Seat Belt
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-H51	H51 OPTION PACKAGE	\$3,600
-------------	--------------------------	---------

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-O71	O71 OPTION PACKAGE	\$2,443
M__-P01-O51	O51 OPTION PACKAGE	\$1,484
M__-P01-O31	O31 OPTION PACKAGE	\$848

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.*

S740 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
<u>Control Options</u>		
M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS) ACS allows operator to select either hand or foot control of lift and tilt functions. <i>The Cab Accessories Package which is included in all Cab Packages is required. If a Cab Package is not ordered, the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for.....</i>	\$1,695 \$415
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC) Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. Also includes Auto Idle for a limited time only . <u>Must order</u> an A, H or O Cab Package.	\$1,765
<u>Other Options and Option Combinations</u>		
<u>Option Requirements</u>		
NOTE:	The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.	
	CAB ACCESSORIES PACKAGE <u>Required</u> for Hydraulic Bucket Positioning. The Cab Accessories Package is included in all Cab Packages. If a Cab Package is not ordered, you must add.....	
		\$415
	SUSPENSION SEAT <u>Required</u> for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add	
		\$499
	7-PIN ATTACHMENT CONTROL KIT <u>Required</u> for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add.....	
		\$205
	<u>May Choose Only ONE of the Following Options or Combinations</u> The options and option combinations may require additional equipment for operation, see option requirements above for details.	
M__-P03-F50	HIGH FLOW HYDRAULICS, TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$3,950
M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,883
M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$2,111
M__-P03-F20	TWO SPEED, ENGINE BLOCK HEATER	\$1,654
M__-R04-C02	TWO SPEED	\$1,582
M__-P03-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$566
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$468
M__-A01-C02	ENGINE BLOCK HEATER.....	\$111

Option Descriptions

HIGH FLOW HYDRAULICS

Provides __ GPM and 3500 PSI for attachment operation.
The 7 pin attachment control kit is required.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.
Includes On/Off switch. The Cab Accessories Package is required.

TWO SPEED

Includes 2-speed motors, Spring Applied/Pressure Release (SAPR) Brake and 3-Point Seat Belt.
Low Travel Speed __ MPH, High Travel Speed __ MPH. Suspension Seat is required.

AUTO IDLE OPTION

Available only for interim Tier 4 700 platform loaders equipped with SJC. Auto Idle automatically reduces the engine speed to idle after 5 seconds of loader Drive and/or Hydraulic system inactivity.
Auto Idle will be included with SJC for a limited time.

S740 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

FACTORY INSTALLED OPTIONS

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT \$314 <i>Must order an A, H or O Cab Package.</i>
M__-R26-C02	RADIO..... \$417 Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player. <i>Must order an A, H or O Cab Package.</i>

NOTE: The Air Ride Suspension Seat and Radio will be available as individual options for a limited time only before they become part of Cab Package(s) or Option Combinations.

Tires

Set of 4 Tires in Place of Base Equipment

M__-R09-C03	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRES OFFSET \$85 Loader width 69"
M__-R09-C04	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRES..... \$840 Loader width 71.5"
M__-R09-C05	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY FILL TIRES \$1,654 Loader width 71.5"
M__-R09-C11	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRES \$882 Loader width 77.3"

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

DEALER INSTALLED ACCESSORIES – ORDER FROM SALES

Spare Wheel and Tire Assemblies

7202899	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-LEFT \$362 Spare Wheel and Tire Assembly. Loader width 72.1"
7202896	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-RIGHT \$362 Spare Wheel and Tire Assembly. Loader width 72.1"
7202906	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-LEFT \$373 Spare Wheel and Tire Assembly. Loader width 69"
7202903	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-RIGHT \$373 Spare Wheel and Tire Assembly. Loader width 69"
7202930	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRE ASSEMBLY \$572 Spare Wheel and Tire Assembly Loader width 71.5"
7202932	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY-FILL TIRE ASSEMBLY \$772 Spare Wheel and Tire Assembly Loader width 71.5"
7109574	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-LEFT \$583 Spare Wheel and Tire Assembly Loader width 77.3"
7109575	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-RIGHT \$583 Spare Wheel and Tire Assembly Loader width 77.3"

Cab Accessories

7230523	FORESTRY APPLICATIONS KIT..... \$7,485 Kit is required to operate Forestry Cutter and provides operator and machine protection. For kit contents, see Forestry Cutter in Attachments Section. Not compatible with Rear Auxiliary Hydraulics. Must also order Engine Compartment Seal Kit, order from parts. Est. Install time: 6.5 hrs.
---------	--

Note: Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from parts.

S750/S770 (Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

85.0 HP Turbo Tier 4 Diesel Engine (S750)	Lift Arm Support
92.0 HP Turbo Tier 4 Diesel Engine (S770)	Lift Path: Vertical
Air Intake Heater (Automatically Activated)	Lights, Front & Rear
Auxiliary Hydraulics: Variable Flow	Operator Cab
Backup Alarm	<ul style="list-style-type: none"> Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
Bob-Tach	<ul style="list-style-type: none"> Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bobcat Interlock Control System (BICS™)	<ul style="list-style-type: none"> Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Controls: Bobcat Standard	Tires: 12-16.5, 12 PR, Bobcat Heavy Duty
Cylinder Cushioning – Lift, Tilt	Warranty: 12 Months, Unlimited Hours
Engine/Hydraulic Systems Shutdown	
Horn	
Instrumentation: Engine Temperature & Fuel	
Gauges, Hourmeter, RPM and Warning Lights	

QUICK SPECS

	<u>S750</u>	<u>S770</u>
Rated Operating Capacity.....	3,200 lbs.	3,350 lbs.
Engine Model	3.4L Bobcat Engine	3.4L Bobcat Engine
Engine Fuel.....	Diesel	Diesel
Engine Cooling.....	Liquid	Liquid
Horsepower.....	85.0	92.0
Hydraulic Pump Capacity-Standard Flow	23.0 GPM	23.0 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	36.6 GPM	36.6 GPM
Travel Speed	7.1 MPH	7.1 MPH
Travel Speed – 2 Speed Option	7.1/12.3 MPH	7.1/12.3 MPH
Operating Weight	8,893 lbs.	9,314 lbs.
Shipping Weight	8,023 lbs.	8,428 lbs.
Cab Height.....	81.3"	81.3"
Width (w/out Attachment).....	72.1"	72.1"
Length (w/out Attachment).....	114.3"	114.3"
Wheelbase.....	48.3"	48.3"
Reach at Maximum Height.....	31.5"	31.5"
Height to Hinge Pin	132"	132"

S750/S770 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0279	S750 SKID STEER LOADER (EQUIPPED WITH T4 ENGINE).....	\$55,329
M0283	S770 SKID STEER LOADER (EQUIPPED WITH T4 ENGINE).....	\$56,953

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M_-P01-A91	A91 OPTION PACKAGE	\$10,137
M_-P01-A71	A71 OPTION PACKAGE	\$6,349
M_-P01-A51	A51 OPTION PACKAGE	\$5,076
M_-P01-A31	A31 OPTION PACKAGE	\$4,425

A31
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Two Speed w/ SAPR Brake
3-Point Seat Belt
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M_-P01-H51	H51 OPTION PACKAGE	\$3,600
------------	--------------------------	---------

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M_-P01-O71	O71 OPTION PACKAGE	\$2,443
M_-P01-O51	O51 OPTION PACKAGE	\$1,484
M_-P01-O31	O31 OPTION PACKAGE	\$848

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.*

S750/S770 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

FACTORY INSTALLED OPTIONS

Control Options

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS) ACS allows operator to select either hand or foot control of lift and tilt functions. <i>The Cab Accessories Package which is included in all Cab Packages is required. If a Cab Package is not ordered, the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for.....</i>	\$1,695 \$415
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC) Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. Also includes Auto Idle for a limited time only . Must order an A, H or O Cab Package.	\$1,765

Other Options and Option Combinations

Option Requirements

NOTE: *The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.*

CAB ACCESSORIES PACKAGE

Required for Hydraulic Bucket Positioning. The Cab Accessories Package is included in all Cab Packages. If a Cab Package is not ordered, you must add..... **\$415**

SUSPENSION SEAT

Required for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add **\$499**

7-PIN ATTACHMENT CONTROL KIT

Required for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add..... **\$205**

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-P03-F50	HIGH FLOW HYDRAULICS, TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$3,950
M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,883
M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$2,111
M__-P03-F20	TWO SPEED, ENGINE BLOCK HEATER	\$1,654
M__-R04-C02	TWO SPEED	\$1,582
M__-P03-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$566
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$468
M__-A01-C02	ENGINE BLOCK HEATER	\$111

Option Descriptions

HIGH FLOW HYDRAULICS

Provides __ GPM and 3500 PSI for attachment operation.

The 7 pin attachment control kit is required.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.

Includes On/Off switch. The Cab Accessories Package is required.

TWO SPEED

Includes 2-speed motors, Spring Applied/Pressure Release (SAPR) Brake and 3-Point Seat Belt.

Low Travel Speed __ MPH, High Travel Speed __ MPH. Suspension Seat is required.

AUTO IDLE OPTION

Available only for interim Tier 4 700 platform loaders equipped with SJC. Auto Idle automatically reduces the engine speed to idle after 5 seconds of loader Drive and/or Hydraulic system inactivity.

Auto Idle will be included with SJC for a limited time.

S750/S770 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT	\$314
	<i>Must order an A, H or O Cab Package.</i>	
M__-R26-C02	RADIO.....	\$417
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player.	
	<i>Must order an A, H or O Cab Package.</i>	

NOTE: The Air Ride Suspension Seat and Radio will be available as individual options for a limited time only before they become part of Cab Package(s) or Option Combinations.

Tires

Set of 4 Tires in Place of Base Equipment

M__-R09-C03	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRES OFFSET	\$85
	Loader width 69"	
M__-R09-C04	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRES.....	\$840
	Loader width 71.5"	
M__-R09-C05	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY FILL TIRES	\$1,654
	Loader width 71.5"	
M__-R09-C11	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRES	\$882
	Loader width 77.3"	

PART NUMBER	DESCRIPTION	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES	SLP IN US \$
----------------	-------------	---	--------------

Spare Wheel and Tire Assemblies

7202899	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-LEFT	\$362
	Spare Wheel and Tire Assembly. Loader width 72.1"	
7202896	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-RIGHT.....	\$362
	Spare Wheel and Tire Assembly. Loader width 72.1"	
7202906	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-LEFT.....	\$373
	Spare Wheel and Tire Assembly. Loader width 69"	
7202903	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-RIGHT	\$373
	Spare Wheel and Tire Assembly. Loader width 69"	
7202930	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRE ASSEMBLY	\$572
	Spare Wheel and Tire Assembly Loader width 71.5"	
7202932	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY-FILL TIRE ASSEMBLY	\$772
	Spare Wheel and Tire Assembly Loader width 71.5"	
7109574	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-LEFT	\$583
	Spare Wheel and Tire Assembly Loader width 77.3"	
7109575	33 x 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-RIGHT.....	\$583
	Spare Wheel and Tire Assembly Loader width 77.3"	

Cab Accessories

7257723	FORESTRY APPLICATIONS KIT – TIER 4 S750-S770	\$_____
	Kit is required to operate Forestry Cutter and provides operator and machine protection. For kit contents, see Forestry Cutter in Attachments Section. Not compatible with Rear Auxiliary Hydraulics.	
	Must also order Engine Compartment Seal Kit, order from parts.	
	Est. Install time: 6.5 hrs.	

Note: Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from parts.

S850 (Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

92 HP Turbo Tier 4 Diesel Engine	Lift Arm Support
2-Speed Travel	Lift Path: Vertical
Air Intake Heater (Automatically Activated)	Lights, Front & Rear
Auxiliary Hydraulics: Variable Flow	Operator Cab
Backup Alarm	•Includes: Adjustable Suspension Seat, Top & Rear Windows, Seat Bar and 3-Point Seat Belt
Bob-Tach	•Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bobcat Interlock Control System (BICS™)	•Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Controls: Bobcat Standard Controls with Power Assist	Parking Brake – Spring Applied, Pressure Released (SAPR)
Cylinder Cushioning – Lift, Tilt	Tires: 14-17.5, 14 PR, Bobcat Heavy Duty
Engine/Hydraulic Systems Shutdown	Warranty: 12 Months, Unlimited Hours
Horn	
Instrumentation: Engine Temperature & Fuel Gauges, Hourmeter, RPM and Warning Lights	

QUICK SPECS

Rated Operating Capacity	3,950 lbs.
Engine Model	3.4L Bobcat Engine
Engine Fuel	Diesel
Engine Cooling.....	Liquid
Horsepower	92
Hydraulic Pump Capacity – Standard Flow	23.0 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	36.6 GPM
Travel Speed	7.1 MPH
Travel Speed – 2 Speed	7.1/12.3 MPH
Operating Weight.....	10,237 lbs.
Shipping Weight.....	9,310 lbs.
Cab Height	83.4"
Width (w/out Attachment)	79"
Length (w/out Attachment)	119.3"
Wheelbase	52.9"
Reach at Maximum Height	29.7"
Height to Hinge Pin.....	144"

S850 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0291	S850 SKID STEER LOADER (EQUIPPED WITH T4 ENGINE)	\$65,714
--------------	---	-----------------

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0291-P01-A91	A91 OPTION PACKAGE	\$8,784
M0291-P01-A71	A71 OPTION PACKAGE	\$6,349
M0291-P01-A51	A51 OPTION PACKAGE	\$5,076
M0291-P01-A31	A31 OPTION PACKAGE	\$4,425

A31
Enclosed Cab with AC/Heat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0291-P01-H51	H51 OPTION PACKAGE	\$3,600
----------------------	---------------------------------	----------------

H51
Enclosed Cab with Heat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0291-P01-O71	O71 OPTION PACKAGE	\$2,443
M0291-P01-O51	O51 OPTION PACKAGE	\$1,484

O51
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments, and Cup Holder.*

S850 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
<u>Control Options</u>			
M0191-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. Also includes Auto Idle <u>for a limited time only</u> .		\$1,295
<u>Other Options and Option Combinations</u>			
<u>Option Requirements</u>			
NOTE:	The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.		
7-PIN ATTACHMENT CONTROL KIT			
	<u>Required</u> for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add		\$205
<u>May Choose Only ONE of the Following Options or Combinations</u>			
The options and option combinations may require additional equipment for operation, see option requirements above for details.			
M0191-R03-C03	HIGH FLOW HYDRAULICS		\$1,883
M0191-P03-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER		\$566
M0191-R11-C02	HYDRAULIC BUCKET POSITIONING		\$468
M0191-A01-C02	ENGINE BLOCK HEATER		\$111
<u>Option Descriptions</u>			
HIGH FLOW HYDRAULICS			
	Provides __GPM and 3500 PSI for attachment operation.		
	The 7 pin attachment control kit is required.		
HYDRAULIC BUCKET POSITIONING			
	Bucket Positioning helps the operator keep the same tilt of the load during lifting.		
	Includes On/Off switch.		
AUTO IDLE OPTION			
	Available only for interim Tier 4 800 platform loaders equipped with SJC. Auto Idle automatically reduces the engine speed to idle after 5 seconds of loader Drive and/or Hydraulic system inactivity. Auto Idle will be included with SJC for a limited time.		
<u>Individual Options</u>			
M0191-R05-C12	AIR RIDE SUSPENSION SEAT..... <u>Must order</u> an A, H, or O Cab Package.		\$314
M0191-R26-C02	RADIO		\$417
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna.		
	Works with MP3 or other portable music player.		
	<u>Must order</u> an A, H, or O Cab Package.		
NOTE:	The Air Ride Suspension Seat and Radio will be available as individual options for a limited time only before they become part of Cab Package(s) or Option Combinations.		
<u>Tires</u>			
<u>Set of 4 Tires in Place of Base Equipment</u>			
M0191-R09-C04	14-17.5, 14 PR, BOBCAT SEVERE DUTY TIRES		\$1,353
	Loader width 79"		
M0191-R09-C05	14-17.5, 14 PR, BOBCAT SEVERE DUTY-POLY FILL TIRES.....		\$2,592
	Loader width 79"		

S850 (Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
<u>Spare Wheel and Tire Assemblies</u>		
7144938	14-17.5, 14 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-LEFT Spare Wheel and Tire Assembly. Loader width 79"	\$656
7144937	14-17.5, 14 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-RIGHT Spare Wheel and Tire Assembly. Loader width 79"	\$656
7144939	14-17.5, 14 PR, BOBCAT SEVERE DUTY TIRE ASSEMBLY..... Spare Wheel and Tire Assembly. Loader width 79"	\$994
7170697	14-17.5, 14 PR, BOBCAT SEVERE DUTY-POLY FILL TIRE ASSEMBLY Spare Wheel and Tire Assembly. Loader width 79"	\$1,304
<u>Cab Accessories</u>		
7257723	FORESTRY APPLICATIONS KIT – TIER 4 Kit is required to operate Forestry Cutter and provides operator and machine protection. For kit contents, see Forestry Cutter in Attachments Section. Not compatible with Rear Auxiliary Hydraulics. Must also order Engine Compartment Seal Kit, order from parts. Est. Install time: 6.5 hrs.	\$_____
Note:	Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from parts.	

S630/S650/S740/S750/S770/S850

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Part numbers for kits in this section are current as of May 2015 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories – Enclosures, Doors, Windows

7128393	CAB ENCLOSURE DOOR KIT \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit and Cab Seals Kit to completely enclose cab. Est. Install time: 3.5 hrs.
7186723	FOPS WINDOW KIT \$ _____ Est. Install time: 10 min.
7174127	FORESTRY DOOR KIT \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install time: 2 hrs.
7182335	SIDE WINDOW LEXAN KIT \$ _____ Includes 2 Sliding Side Lexan Windows. Est. Install time: 1 hr.
7128342	SLIDING SIDE WINDOWS KIT \$ _____ Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install time: 1 hr.
7128395	SPECIAL APPLICATIONS POLYCARBONATE DOOR KIT \$ _____ Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install time: 3 hrs.
7214673	SPECIAL APPLICATIONS POLYCARBONATE REAR WINDOW KIT \$ _____ Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install time: 0.5 hr.

Cab Accessories – Heat and Air Conditioning

7238378	AIR CONDITIONING KIT (S630/S650) \$ _____ Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8 hrs.
7252056	AIR CONDITIONING KIT (S740/S750/S770) \$ _____ Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8 hrs.
7252060	AIR CONDITIONING KIT (S850) \$ _____ Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8 hrs.
7128484	HEATER KIT \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit and Deluxe Heater/Air Conditioning Headliner Kit. Est. Install time: 5 hrs. to install heater and plumbing kit
7238377	HEATER PLUMBING KIT (S630/S650) \$ _____ Est. Install time: 5 hrs. to install heater and plumbing kit
7256971	HEATER PLUMBING KIT (S740) \$ _____ Est. Install time: 5 hrs. to install heater and plumbing kit
7252058	HEATER PLUMBING KIT (S750/S770) \$ _____ Est. Install time: 5 hrs. to install heater and plumbing kit
7252062	HEATER PLUMBING KIT (S850) \$ _____ Est. Install time: 5 hrs. to install heater and plumbing kit
7200657	LOWER AIR DUCT KIT \$ _____ Includes two additional air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install time: 1-3 hrs. (depends on loader model and s/n)

S630/S650/S740/S750/S770/S850**BOBCAT SKID STEER LOADER**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Cab Accessories – Other

	CAB ACCESSORY HARNESS & LOWER INTERIOR PANELS KIT.....	\$_____
	See Dealer Parts Department for the correct kit part number. This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning Headliner Kit & Cup Holder Kit to finish interior. Est. Install time: 5 hrs.	
7167395	CUP HOLDER KIT	\$_____
	Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install time: 1 hr.	
7174903	CAB SEALS KIT (S630/S650/S740/S750/S770)	\$_____
	Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.	
7192140	CAB SEALS KIT (S850).....	\$_____
	Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.	
7170782	DELUXE CAB GAS SPRING KIT	\$_____
	3rd gas spring for enclosed cab. Est. Install time: 1 hr.	
7156253	DELUXE HEADLINER KIT	\$_____
	Includes headliner with light and rear corner cab trim. Est. Install time: 1 hr.	
7174171	DELUXE HEATER / AIR CONDITIONING HEADLINER KIT.....	\$_____
	Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install time: 1 hr.	
7196560	FORESTRY WIPER KIT	\$_____
	Loader must be equipped with Forestry Door; Reference P/N 7174127 Forestry Door or 7230523 Forestry Applications Kit for detail. Est. Install time: 1 hr.	
7238900	HEPA FILTER KIT.....	\$_____
	Est. Install time: 0.5 hr.	
7240148	INTERMITTENT WIPER KIT.....	\$_____
	Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install time: 1 hr.	
6725946	REAR WINDOW EXTERNAL REMOVAL KIT	\$_____
	Recommended for use with Loader Radio Remote Control kit. Est. Install time: 1 hr.	
7225133	REAR WIPER KIT.....	\$_____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Deluxe Headliner, Lower Interior Panels and Front Door with Wiper are also required. Wiper is activated by a switch on the rear wiper motor. Est. Install time: 4 hrs.	
7172897	RESEAL PLUGS KIT.....	\$_____
	Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.	
7172903	WHITE DECAL KIT (CAB TOP).....	\$_____
	Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install time: 0.5 hr.	

S630/S650/S740/S750/S770/S850

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Counterweight Kits</u>		
7204279	COUNTERWEIGHT KIT- FRONT AXLE (S630/S650/S740/S750/S770)..... Includes axle weights and hardware. Increases down force on attachments. It does not increase the Rated Operating Capacity (ROC) of the loader. Est. Install time: 1.5 hrs.	\$_____
7129250	COUNTERWEIGHT KIT, 200 LBS..... Includes (4) 50 lb weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install time: 1 hr.	\$_____
7129251	COUNTERWEIGHT KIT, 300 LBS..... Includes (6) 50 lb weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install time: 1 hr.	\$_____
7129252	COUNTERWEIGHT KIT, 400 LBS (S740/S750/S770/S850) Includes (8) 50 lb weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install time: 1 hr.	\$_____
<u>Electrical Accessories</u>		
_____	ATTACHMENT CONTROL KIT For complete listing of Attachment Control Kits, P/N's and Descriptions – Refer to Attachments Section of the Price Pages.	\$_____
7169103	CAB ACCESSORY ADAPTER HARNESS For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install time: 0.5 hr.	\$_____
7128338	FOUR-WAY FLASHER / TURN SIGNAL KIT Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	\$_____
7129299	ROTATING BEACON KIT..... Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	\$_____
7129301	STROBE LIGHT KIT, AMBER Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.	\$_____
<u>Engine Accessories</u>		
_____	AIR CLEANER PRE-CLEANER (S630/S650) Order the following from parts: Hose (iT4: 7157923, T4: 7234601), Hose Clamp (iT4: 5HM42, T4: 5HM53), and Instructions (iT4: 7149931, T4: 6990831). Est. Install time: 1 hr.	
7265891	SCR INHIBIT SWITCH KIT..... For S740/S750/S770/S850 equipped with Tier 4 Engine. Allows operator to perform a parked regeneration if too much soot is allowed to accumulate in the DPF. Est. Install time: 1 hr.	\$_____
7239665	ENGINE BLOCK HEATER KIT – TIER 4 (S630/S650/S740/S750/S770/S850)	\$_____

S630/S650/S740/S750/S770/S850**BOBCAT SKID STEER LOADER**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Hydraulic Accessories</u>		
7129447	HYDRAULIC BUCKET POSITIONING KIT (S630).....	\$_____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time: 3 hrs.	
7128442	HYDRAULIC BUCKET POSITIONING KIT (S650).....	\$_____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time: 3 hrs.	
7188811	HYDRAULIC BUCKET POSITIONING KIT (S850).....	\$_____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time: 3 hrs.	
7207408	LIFT CYLINDER CUSHION PISTON (S650/S740/S750/S770).....	\$_____
	Softens the contact between the lift arms and mainframe reducing noise. Must also order Piston Nut p/n 6810540.	
7231414	REAR AUXILIARY HYDRAULIC KIT (S630)	\$_____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
7231436	REAR AUXILIARY HYDRAULIC KIT (S650)	\$_____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
7220912	REAR AUXILIARY HYDRAULIC KIT (S740)	\$_____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
7268419	REAR AUXILIARY HYDRAULIC KIT (S750/S770)	\$_____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
7270096	REAR AUXILIARY HYDRAULIC KIT (S850)	\$_____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
<u>Instrumentation</u>		
7213928	DELUXE INSTRUMENT PANEL WITH KEYLESS START	\$_____
	Includes keyless start, feature lockouts, help screens, system diagnostic capability, clock, job clock and more. Est. Install time: 1 hr.	
7213929	KEYLESS START PANEL KIT	\$_____
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install time: 1 hr.	
<u>Lift Kits</u>		
7128411	FOUR-POINT LIFT KIT (S630).....	\$_____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.	
7156605	FOUR-POINT LIFT KIT (S650/S740/S750/S770)	\$_____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.	
7150698	FOUR-POINT LIFT KIT (S850).....	\$_____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.	
7226713	SINGLE POINT LIFT KIT (S630/S650/S740/S750/S770)	\$_____
	Est. Install time: 3 hrs.	
7128432	SINGLE POINT LIFT KIT (S850)	\$_____
	Est. Install time: 3 hrs.	

S630/S650/S740/S750/S770/S850**BOBCAT SKID STEER LOADER**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Loader Guard Kits</u>		
7206200	ENGINE COMPARTMENT SEAL KIT (S630) Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1.5 hrs.	\$ _____
7209981	ENGINE COMPARTMENT SEAL KIT (S650) Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1.5 hrs.	\$ _____
7190789	ENGINE COMPARTMENT SEAL KIT (S740/S750/S770) Required when using M-series 700 Platform machines with forestry cutters. Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 2 hrs.	\$ _____
7179952	ENGINE COMPARTMENT SEAL KIT (S850) Required when using M-series 800 Platform machines with forestry cutters. Kit includes cab/Mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 2 hr.	\$ _____
7129293	FOPS KIT Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install time: 1.5 hrs.	\$ _____
7174128	REAR WORK LIGHTS GUARD KIT (S740) Est. Install time: 0.5 hr.	\$ _____
7257724	REAR WORK LIGHTS GUARD KIT (S750/S770/S850) Est. Install time: 0.5 hr.	\$ _____
7174129	FRONT WORK LIGHTS GUARD KIT Est. Install time: 0.5 hr.	\$ _____
7244920	MUFFLER GUARD KIT Est. Install time: 0.25 hr.	\$ _____
7249240	POWER BOBTACH GUARD KIT Est. Install time: 0.25 hr.	\$ _____
7250844	COUPLER GUARD KIT Est. Install time: 5 min.	\$ _____
7203665	REAR BUMPER KIT Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install time: 1 hr.	\$ _____
7187059	TILT CYLINDER SHIELD KIT (S630/S650/S740/S750/S770) Est. Install time: 0.5 hr.	\$ _____
7187241	TILT CYLINDER SHIELD KIT (S850) Est. Install time: 0.5 hr.	\$ _____
<u>Power Bob-Tach Kits</u>		
7261311	POWER BOB-TACH KIT (S630/S650) Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
7269942	POWER BOB-TACH KIT (S740/S750/S770/S850) Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
7261301	POWER BOB-TACH PLUMBING KIT (S630) Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
7261303	POWER BOB-TACH PLUMBING KIT (S650) Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
7261305	POWER BOB-TACH PLUMBING KIT (S740/S750/S770) Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____
_____	POWER BOB-TACH PLUMBING KIT – TIER 4 (S850) Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit	\$ _____

S630/S650/S740/S750/S770/S850**BOBCAT SKID STEER LOADER**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Radio</u>		
6988435	RADIO KIT..... Includes weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Works with MP3 or other portable music player. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install time: 3 hrs.	\$_____
6676108	RADIO HEADPHONES	\$_____
<u>Remote Control Kits</u>		
7185234	LOADER RADIO REMOTE CONTROL KIT Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC) or All Wheel Steer Loaders. Requires version 57 software or newer. Est. Install time: 0.5 hr.	\$_____
6986516	LOADER RADIO REMOTE OPERATOR TRAINING KIT.....	\$_____
<u>Ride Control Kits</u>		
7231311	RIDE CONTROL KIT (S630/S650)..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: 1.5 hrs.	\$_____
7240257	RIDE CONTROL KIT – TIER 4 (S740/S750/S770/S850)..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: 1.5 hrs.	\$_____
<u>Seats & Seat Belts</u>		
6703640	SEAT BELT KIT, 3" (STANDARD SEAT)..... For use with Standard Seat only. Includes 3" lap belt. Est. Install time: 0.5 hr.	\$_____
7129303	SEAT BELT KIT, 3" (SUSPENSION SEAT) For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.	\$_____
7128405	SEAT BELT KIT, 3-POINT For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install time: 0.5 hr.	\$_____
7169480	SEAT BELT KIT-3", 3-POINT For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install time: 0.5 hr.	\$_____
7128524	SUSPENSION SEAT Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.	\$_____
7183366	SUSPENSION SEAT, AIR RIDE Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.	\$_____

S630/S650/S740/S750/S770/S850**BOBCAT SKID STEER LOADER**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION	
<u>Sound Reduction Kits</u>		
7213452	SOUND REDUCTION KIT (S630/S650)	\$ _____
	Includes insulating materials and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install time: 2 hrs.	
_____	SOUND REDUCTION KIT (S850).....	\$ _____
	Includes insulating materials and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install time: 2 hrs.	
_____	DELUXE SOUND KIT FOR STANDARD CONTROLS WITH POWER ASSIST (S850)	\$ _____
	Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	
_____	DELUXE SOUND KIT FOR STANDARD OR ACS CONTROLS (S630/S650/S750/S770)	\$ _____
	Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	
_____	DELUXE SOUND KIT FOR SJC CONTROLS.....	\$ _____
	Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	
<u>Training Kits</u>		
6901726	BOBCAT LOADER OPERATOR TRAINING KIT	\$ _____
6900641	BOBCAT LOADER SERVICE TRAINING KIT	\$ _____
6904762	BOBCAT OPERATOR SAFETY DVD	\$ _____
	Includes all of the 10-minute operator safety videos in both English and Spanish.	
<u>Other Accessories</u>		
7257437	AIR DEFLECTOR KIT	\$ _____
	Est. Install time: 0.5 hr.	
7129307	FIRE EXTINGUISHER KIT	\$ _____
	Est. Install time: 0.5 hr.	
7232264	HP ASPIRATION KIT	\$ _____
	Est. Install time: 0.5 hr.	
7257869	LOADER WEIGHLOG SCALE KIT	\$ _____
	Measures hydraulic pressure at a specific position during the lifting cycle for either static or dynamic weighing. The weighlog kit is not a certified scale. Please see Bobcat Parts Sales & Merchandising Manual for additional details. Est. Install time: 4 hrs.	
_____	LOCKING FUEL CAP	\$ _____
	Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	
7128403	SECURITY LOCKS KIT	\$ _____
	Est. Install time: 0.5 hr.	

DISCONTINUED MODELS

The following models have been discontinued and are no longer available: S130, S150, S160, S175, S185, S205, S510 (iT4), S530 (iT4), S550 (iT4), S570 (iT4), S590 (iT4), S630 (iT4), S650 (iT4), S750 (Tier 3), S770 (Tier 3) and S850 (Tier 3). Check dealer inventory for availability.

S100 (Interim Tier 4)

BOBCAT SKID STEER LOADERS



STANDARD EQUIPMENT

35.5 HP Interim Tier 4 Diesel Engine	Operator Cab
Auxiliary Hydraulics	<ul style="list-style-type: none"> Includes: Adjustable Cushion Seat, Cab Accessory Harness, Dome Light, Electrical Power Port, Interior Cab Foam, Top & Rear Windows, Parking Brake, Seat Bar, Seat Belt
Backup Alarm	<ul style="list-style-type: none"> Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bob-Tach	<ul style="list-style-type: none"> Falling Objects Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Bobcat Interlock Control System (BICS™)	Spark Arrestor Muffler
Controls: Bobcat Standard	Tires, 27 X 8.5-15, 6 PR, Bobcat Heavy Duty
Engine/Hydraulic Systems Shutdown	Warranty: 12 Months, Unlimited Hours.
Glow Plugs (Automatically Activated)	
Horn	
Instrumentation: Hourmeter, Engine Temperature and Fuel Gauges, Warning Lights	
Lift Arm Support	
Lift Path: Radius	
Lights: Front & Rear	

QUICK SPECS

Rated Operating Capacity.....	1,000 lbs.
Engine Model	V1505
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower	35.5
Hydraulic Pump Capacity-Standard Flow	13.1 GPM
Travel Speed.....	6.4 MPH
Travel Speed – 2 speed w/ SJC	6.4/8.7 mph
Operating Weight	4,091 lbs.
Shipping Weight.....	3,724 lbs.
Cab Height.....	73.9"
Width (w/out Attachment).....	45.9"
Length (w/out Attachment)	89.1"
Wheelbase	32.2"
Reach at Maximum Height.....	15.4"
Height to Hinge Pin	103.6"

S100 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DESCRIPTION	SKID STEER LOADER	SLP IN US \$
----------------	-------------	-------------------	--------------

7153976	S100 BOBCAT SKID STEER LOADER (EQUIPPED WITH iT4 ENGINE)		\$23,347
---------	--	--	----------

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

May Choose Only ONE of the Following Four Options or Option Combinations

7153976-SS	SUSPENSION SEAT		\$370
------------	-----------------------	--	-------

7153976-HTSS	CAB ENCLOSURE WITH HEATER AND SUSPENSION SEAT		\$2,365
--------------	---	--	---------

*When ordering S100's with Selectable Joystick Controls (SJC), allow an additional 6 to 8 weeks
above normal delivery times due to shipping*

7153976-SJCSS	SELECTABLE JOYSTICK CONTROLS (SJC) WITH 2-SPEED, SUSPENSION SEAT...		\$2,850
---------------	---	--	---------

7153976-SJCHTSS	SELECTABLE JOYSTICK CONTROLS (SJC) WITH 2-SPEED, CAB ENCLOSURE WITH HEATER AND SUSPENSION SEAT		\$4,845
-----------------	---	--	---------

PART NUMBER	DESCRIPTION	DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS
----------------	-------------	---

Part numbers for kits in this section are current as of June 2014 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories

6675544	CAB ENCLOSURE, VINYL		\$_____
	Cab enclosure includes vinyl coated nylon fabric with clear vinyl windows that provide visibility to the front, top, rear and sides of the loader.		

Est. Install time: 1 hr.

6730822	CAB ENCLOSURE DOOR KIT		\$_____
---------	------------------------------	--	---------

Includes Front Door with Sensor and Wiper/Washer.

Must also order Side Windows Kit, Access Cover Kit and 3rd Gas Spring Kit.

Est. Install time: 2 hrs.

6730823	SPECIAL APPLICATIONS POLYCARBONATE DOOR KIT		\$_____
---------	---	--	---------

Provides added operator protection during some attachment applications.

Must also order Special Applications Polycarbonate Top and Rear Window Kits to complete the Special Applications Kit.

Est. Install time: 2 hrs.

6718924	FOPS KIT		\$_____
---------	----------------	--	---------

Additional shield assembly for cab top. Meets ISO3449, Level II Requirements.

Est. Install time: 1 hr.

7166137	HEATER KIT		\$_____
---------	------------------	--	---------

Must also order plumbing kit.

Est. Install time: 4 hrs. to install heater and plumbing kit.

7138189	HEATER PLUMBING KIT		\$_____
---------	---------------------------	--	---------

Est. Install time: 4 hrs. to install heater and plumbing kit.

6725946	REAR WINDOW EXTERNAL REMOVAL KIT		\$_____
---------	--	--	---------

Recommended for use with Loader Radio Remote Control kit.

Est. Install time: 1 hr.

6726655	REAR WIPER KIT		\$_____
---------	----------------------	--	---------

Loader must be equipped with headliner for switch mounting.

If loader is not equipped with a headliner, order from Parts.

Est. Install time: 4 hrs.

6719672	REPLACEMENT OPERATOR CAB KIT		\$_____
---------	------------------------------------	--	---------

Includes Decals. Does Not Include Seat, Instrument Panel, Seat Bar or Foam Padding.

7131580	SLIDING SIDE WINDOWS KIT		\$_____
---------	--------------------------------	--	---------

Includes 2 Sliding Side Windows.

Must also order Cab Enclosure Door Kit, Access Cover Kit and 3rd Gas Spring Kit.

Est. Install time: 2 hrs.

S100 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS DESCRIPTION
----------------	--

Cab Accessories (continued)

7105035	SPECIAL APPLICATIONS POLYCARBONATE TOP WINDOW KIT \$_____ <p>Must order Knob 6681614 (qty. 4) and Installation Instructions 6986505. Must also order Special Applications Polycarbonate Door and Rear Window Kits to complete the Special Applications Kit. Est. Install time: 0.5 hrs.</p>
6726984	SPECIAL APPLICATIONS POLYCARBONATE REAR WINDOW KIT \$_____ <p>Must also order Special Applications Polycarbonate Door and Top Window Kits to complete the Special Applications Kit. Est. Install time: 0.5 hrs.</p>
6577880	ACCESS COVER KIT \$_____ <p>Must also order Cab Enclosure Door Kit, Side Windows Kit and 3rd Gas Spring Kit. Est. Install time: 0.25 hrs.</p>
6732928	3RD GAS SPRING KIT \$_____ <p>Must also order Cab Enclosure Door Kit, Side Windows Kit and Access Cover Kit. Est. Install time: 1 hr.</p>
7140768	WHITE DECAL KIT (CAB TOP) \$_____ <p>Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install time: 0.5 hr.</p>

Electrical Accessories

_____	ATTACHMENT CONTROL KIT \$_____ <p>For complete listing of Attachment Control Kits, P/N's and Descriptions - Refer to Attachments Section of the Price Pages.</p>
6718411	FOUR-WAY FLASHER / TURN SIGNAL KIT \$_____ <p>Est. Install time: 1 hr.</p>
6719854	ROTATING BEACON KIT \$_____ <p>Est. Install time: 1 hr.</p>
6719857	STROBE LIGHT KIT, AMBER \$_____ <p>Est. Install time: 1 hr.</p>
7137257	BACKUP ALARM KIT FOR MANUAL CONTROLS \$_____ <p>Est. Install Time: 2 hrs.</p>
7154946	HORN KIT \$_____ <p>Est. Install Time: 1 hr.</p>

Engine Accessories

7135019	CATALYTIC EXHAUST PURIFIER \$_____ <p>Est. Install time: 1.5 hrs.</p>
6729692	ENGINE BLOCK HEATER \$_____ <p>Est. Install time: 1 hr.</p>

Hydraulic Accessories

7171255	HYDRAULIC BUCKET POSITIONING KIT \$_____ <p>Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Works on both Manual Controls & Selectable Joystick Controls (SJC). Includes on/off switch. Est. Install time: 4 hrs.</p>
---------	--

Instrumentation

7170753	KEYLESS START PANEL KIT \$_____ <p>Allows operator to start the loader by entering a reprogrammable number code. Est. Install time: 1 hr.</p>
---------	--

Lift Kits

7186703	SINGLE-POINT LIFT KIT \$_____ <p>Est. Install time: 2 hrs.</p>
---------	---

Power Bob-Tach Kits

7170304	POWER BOB-TACH KIT, MANUAL CONTROLS \$_____ <p>Est. Install time: 4 hrs.</p>
7170970	POWER BOB-TACH KIT, SJC CONTROLS \$_____ <p>Est. Install time: 4 hrs.</p>

S100 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS DESCRIPTION	
	<u>Radio</u>	
6983067	RADIO, AM/FM/WB.....	\$ _____
	Must also order radio installation kit, antenna and headphones or speakers (Qty. 2). Works with MP3 or other portable music player. Completely weatherproof. NOAA Weatherband. Headphone Jack. Built-in jobsite work timer. Selectable backlighting in Amber or Green. Built-in memory back-up keeps time for up to 30 days without vehicle battery drain. Est. Install time: 2 hrs. to install Radio, Antenna, and Speakers	
6983066	RADIO INSTALLATION KIT, LOADERS	\$ _____
6676114	RADIO ANTENNA.....	\$ _____
6676108	RADIO HEADPHONES	\$ _____
6676112	RADIO SPEAKER.....	\$ _____
	<u>Radio Remote Kits</u>	
7185234	LOADER RADIO REMOTE CONTROL KIT	\$ _____
	Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC). Requires version 57 software or newer. Est. Install time: 0.5 hr.	
6986516	LOADER RADIO REMOTE CONTROL OPERATOR TRAINING KIT	\$ _____
	<u>Seats and Seat Belts</u>	
6675562	SEAT BELT KIT, 3" WIDE (SUSPENSION SEAT)	\$ _____
	For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.	
6732219	SEAT BELT KIT, 3-POINT	\$ _____
	For use with Suspension Seat Only. Includes 2" shoulder belt and 2" lap belt. Both are retractable. Est. Install time: 0.5 hr.	
7170270	SUSPENSION SEAT, AIR-RIDE	\$ _____
	Must also order Seat Belt Kit unless previously equipped with a Suspension Seat. Vinyl Material. Est. Install time: 1 hr.	
6675596	SUSPENSION SEAT, FABRIC	\$ _____
	Must also order Seat Belt Kit unless previously equipped with a Suspension Seat. Est. Install time: 1 hr.	
6675595	SUSPENSION SEAT, VINYL	\$ _____
	Must also order Seat Belt Kit unless previously equipped with a Suspension Seat. Est. Install time: 1 hr.	
	<u>Sound Reduction Kits</u>	
7161785	SOUND REDUCTION KIT FOR MANUAL CONTROLS	\$ _____
	Includes insulating materials to reduce sound level at the operator's ear. Est. Install time 0.5 hr.	
7161787	SOUND REDUCTION KIT FOR SJC CONTROLS	\$ _____
	Includes insulating materials to reduce sound level at the operator's ear. Est. Install time 0.5 hr.	
	<u>Training Kits</u>	
6901726	BOBCAT LOADER OPERATOR TRAINING KIT	\$ _____
6900641	BOBCAT LOADER SERVICE TRAINING KIT.....	\$ _____
6904762	BOBCAT OPERATOR SAFETY DVD	\$ _____
	Includes all of the 10-minute operator safety videos in both English and Spanish.	

S100 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS		
PART NUMBER	DESCRIPTION	
<i><u>Other Accessories</u></i>		
6577880	COVER KIT For Foot Pedal Cleanout Holes. Est. Install time: 0.25 hr.	\$ _____
6725898	FIRE EXTINGUISHER KIT Est. Install time: 0.5 hr.	\$ _____
7023550	LOCKING FUEL CAP Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	\$ _____
6732001	TAILGATE LOCK KIT Est. Install time: 0.5 hr.	\$ _____
7101733	27 X 8.50-15, 6 PR, BOBCAT HEAVY DUTY (TIRE ONLY) Must order rim p/n 6562778, and valve stem p/n 6598310 from Bobcat Parts.	\$ _____

S130 (Interim Tier 4)

BOBCAT SKID STEER LOADERS



STANDARD EQUIPMENT

49 HP Interim Tier 4 Diesel Engine	Lights: Front & Rear
Auxiliary Hydraulics: Variable Flow	Operator Cab
Backup Alarm	<ul style="list-style-type: none"> Includes: Adjustable Cushion Seat, Dome Light, Electrical Power Port, Interior Cab Foam, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
Bob-Tach	<ul style="list-style-type: none"> Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bobcat Interlock Control System (BICS™)	<ul style="list-style-type: none"> Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Controls: Bobcat Standard	Spark Arrestor Muffler
Engine/Hydraulic Systems Shutdown	Tires: 10-16.5, 10 PR, Bobcat Heavy Duty
Glow Plugs (Automatically Activated)	Warranty: 12 Months, Unlimited Hours
Horn	
Instrumentation: Hourmeter, Engine Temperature and Fuel Gauges, Warning Lights	
Lift Arm Support	
Lift Path: Radius	

QUICK SPECS

Rated Operating Capacity.....	1,300 lbs.
Engine Model	V2403
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower	49
Hydraulic Pump Capacity-Standard Flow	16.9 GPM
Travel Speed.....	7.3 MPH
Operating Weight	5,235 lbs.
Shipping Weight.....	4,691 lbs.
Cab Height.....	77.3"
Width (w/out Attachment).....	58.7"
Length (w/out Attachment)	95.8"
Wheelbase	35.5"
Reach at Maximum Height.....	22.6"
Height to Hinge Pin.....	109.5"

S130 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DESCRIPTION	SKID STEER LOADER	SLP IN US \$
----------------	-------------	-------------------	--------------

M0001	S130 BOBCAT SKID-STEER LOADER (EQUIPPED WITH iT4 ENGINE).....		\$27,320
-------	---	--	----------

PART NUMBER	DESCRIPTION	HEATED CAB PACKAGES	SLP IN US \$
----------------	-------------	---------------------	--------------

M__-P01-H51	H51 OPTION PACKAGE.....		\$2,692
-------------	-------------------------	--	---------

M__-P01-H31	H31 OPTION PACKAGE.....		\$2,205
-------------	-------------------------	--	---------

H31
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Harness

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Harness
Power Bob-Tach

PART NUMBER	DESCRIPTION	OPEN CAB PACKAGES	SLP IN US \$
----------------	-------------	-------------------	--------------

M__-P01-O31	O31 OPTION PACKAGE.....		\$491
-------------	-------------------------	--	-------

O31
Suspension Seat
Cab Accessories Harness

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

*When ordering S130's with Advanced Control System (ACS) or Selectable Joystick Controls (SJC),
allow an additional 6 to 8 weeks above normal delivery times due to shipping.*

Control Options

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS).....		\$1,360
-------------	------------------------------------	--	---------

Selects either hand or foot control of lift and tilt functions.
Includes Advanced Hand Controls and Advanced Foot Controls.

M__-R01-C04	SELECTABLE JOYSTICK CONTROLS (SJC).....		\$2,195
-------------	---	--	---------

Standard features: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.

Tires

Set of 4 Tires in Place of Base Equipment



M0001-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES - OFFSET.....		\$123
---------------	---	--	-------

Machine Width 54"

***For S130 Dealer Installed Accessories, reference S130/S150/S160/S175/S185/S205 Dealer Installed Accessories.**

S150/S175 (Interim Tier 4)

BOBCAT SKID STEER LOADERS



STANDARD EQUIPMENT

49 HP Interim Tier 4 Diesel Engine
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Hourmeter, Engine Temperature and Fuel
 Gauges, Warning Lights
 Lift Arm Support
 Lift Path: Radius (S150) Vertical (S175)

Lights: Front & Rear
 Operator Cab

- Includes: Adjustable Cushion Seat, Dome Light, Electrical Power Port, Interior Cab Foam, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

 Spark Arrestor Muffler
 Tires: 10-16.5, 8 PR, Bobcat Standard Duty
 Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	<u>S150</u>	<u>S175</u>
Rated Operating Capacity	1,500 lbs.	1,750 lbs.
Engine Model	V2403	V2403
Engine Fuel	Diesel	Diesel
Engine Cooling	Liquid	Liquid
Horsepower	49	49
Hydraulic Pump Capacity-Standard Flow.....	16.9 GPM	16.9 GPM
Travel Speed	7.3 MPH	7.3 MPH
Travel Speed - 2 Speed Option	7.5 / 11.1 MPH	7.5 / 11.1 MPH
Operating Weight.....	5,935 lbs.	6,290 lbs.
Shipping Weight	5,130 lbs.	5,485 lbs.
Cab Height	76.3"	76.3"
Width (w/out Attachment)	66"	66"
Length (w/out Attachment)	101.9"	101.9"
Wheelbase	40.6"	40.6"
Reach at Maximum Height	18.1"	29.6"
Height to Hinge Pin.....	114.5"	118.2"

S150/S175 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0003	S150 BOBCAT SKID-STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$27,688
M0007	S175 BOBCAT SKID-STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$29,045

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M_-P01-H71	H71 OPTION PACKAGE	\$3,707
M_-P01-H51	H51 OPTION PACKAGE	\$2,692
M_-P01-H31	H31 OPTION PACKAGE	\$2,205

H31
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Harness

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Harness
Power Bob-Tach

H71
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Harness
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with Keyless Start
Attachment Control Kit

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M_-P01-O71	O71 OPTION PACKAGE	\$1,849
M_-P01-O51	O51 OPTION PACKAGE	\$1,028
M_-P01-O31	O31 OPTION PACKAGE	\$491

O31
Suspension Seat
Cab Accessories Harness

O51
Suspension Seat
Cab Accessories Harness
Deluxe Instrument Panel with Keyless Start

O71
Suspension Seat
Cab Accessories Harness
Deluxe Instrument Panel with Keyless Start
Power Bob-Tach
Attachment Control Kit


S150/S175 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER		DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
<u>Control Options</u>				
M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS)			\$1,360
	Allows operator to select either hand or foot control of lift and tilt functions. Includes Advanced Hand Controls and Advanced Foot Controls.			
M__-R01-C04	SELECTABLE JOYSTICK CONTROLS (SJC)			\$2,195
	Standard features: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.			
<u>Other Options and Option Combinations</u>				
<u>Option Requirements</u>				
NOTE:	The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.			
SUSPENSION SEAT				
	<u>Required</u> for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add			\$370
<u>May Choose Only ONE of the Following Options or Combinations</u>				
The options and option combinations may require additional equipment for operation, see option requirements above for details.				
M__-P01-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....			\$1,998
M__-P01-F20	TWO SPEED, ENGINE BLOCK HEATER			\$1,565
M__-R11-C02	HYDRAULIC BUCKET POSITIONING			\$454
M__-A01-C02	ENGINE BLOCK HEATER.....			\$108
<u>Option Descriptions</u>				
HYDRAULIC BUCKET POSITIONING				
	Bucket Positioning helps the operator keep the same tilt of the load during lifting. Includes On/Off switch.			
TWO SPEED				
	Includes 2-speed motors and 3-Point Seat Belt. Low Travel Speed 7.5 MPH, High Travel Speed 11.1 MPH. Suspension seat is required.			
<u>Tires</u>				
<u>Set of 4 Tires in Place of Base Equipment</u>				
M__-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES			\$235
	Loader Width 66"			
M__-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET			\$275
	Loader Width 60"			
M__-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES			\$885
	Loader Width 66"			
M__-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES			\$1,470
	Loader Width 66"			
M__-R09-C06	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRES			\$385
	Loader Width 66"			

S160/S185/S205 (Interim Tier 4)

BOBCAT SKID STEER LOADERS



STANDARD EQUIPMENT

61 HP Turbo Interim Tier 4 Diesel Engine (S160/S185)	Lights: Front & Rear
66 HP Turbo Interim Tier 4 Diesel Engine (S205)	Operator Cab
Auxiliary Hydraulics: Variable Flow	• Includes: Adjustable Cushion Seat, Dome Light, Electrical Power Port, Interior Cab Foam, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
Backup Alarm	• Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bob-Tach	• Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Bobcat Interlock Control System (BICS™)	Spark Arrestor Muffler
Controls: Bobcat Standard	Tires: 10-16.5, 8 PR, Bobcat Standard Duty (S160,S185)
Engine/Hydraulic Systems Shutdown	Tires: 31x12-16.5, 10 PR, Bobcat Heavy Duty (S205)
Glow Plugs (Automatically Activated)	Warranty: 12 Months, Unlimited Hours
Horn	
Instrumentation: Hourmeter, Engine Temperature and Fuel Gauges, Warning Lights	
Lift Arm Support	
Lift Path: Radius (S160) Vertical (S185, S205)	

QUICK SPECS

	S160	S185	S205
Rated Operating Capacity	1,600 lbs.	1,850 lbs.	2,050 lbs.
Engine Model.....	V2607-Turbo	V2607-Turbo	V2607-Turbo
Engine Fuel	Diesel	Diesel	Diesel
Engine Cooling	Liquid	Liquid	Liquid
Horsepower	61	61	66
Hydraulic Pump Capacity - Standard Flow.....	16.9 GPM	16.9 GPM	16.9 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	26.4 GPM	26.4 GPM	26.4 GPM
Travel Speed	7.3 MPH	7.3 MPH	7.3 MPH
Travel Speed - 2 Speed Option	7.5/11.1 MPH	7.5/11.1 MPH	7.5/11.1 MPH
Operating Weight.....	5,965 lbs.	6,220 lbs.	6,655 lbs.
Shipping Weight	5,340 lbs.	5,445 lbs.	5,860 lbs.
Cab Height	76.3"	76.3"	76.3"
Width (w/out Attachment)	66"	66"	66"
Length (w/out Attachment)	101.9"	101.9"	101.9"
Wheelbase	40.6"	40.6"	40.6"
Reach at Maximum Height	18.1"	29.6"	29.6"
Height to Hinge Pin.....	114.5"	118.2"	118.2"

S160/S185/S205 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DESCRIPTION	SLP IN US \$
M0005	S160 BOBCAT SKID-STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$30,389
M0009	S185 BOBCAT SKID-STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$32,467
M0011	S205 BOBCAT SKID-STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$33,505

PART NUMBER	DESCRIPTION	SLP IN US \$
M__-P01-A91	A91 OPTION PACKAGE.....	\$8,136
M__-P01-A71	A71 OPTION PACKAGE.....	\$4,943
M__-P01-A51	A51 OPTION PACKAGE.....	\$3,892
M__-P01-A31	A31 OPTION PACKAGE.....	\$3,406

A31
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Harness

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Harness
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Harness
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Harness
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Two Speed
3-Point Seat Belt
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
M__-P01-H71	H71 OPTION PACKAGE	\$3,810
M__-P01-H51	H51 OPTION PACKAGE	\$2,759
M__-P01-H31	H31 OPTION PACKAGE	\$2,273

H31
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Harness

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Harness
Power Bob-Tach

H71
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Harness
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with Keyless Start
Attachment Control Kit

PART NUMBER	DESCRIPTION	SLP IN US \$
M__-P01-O71	O71 OPTION PACKAGE	\$1,903
M__-P01-O51	O51 OPTION PACKAGE	\$1,076
M__-P01-O31	O31 OPTION PACKAGE	\$527

O31
Suspension Seat
Cab Accessories Harness

O51
Suspension Seat
Cab Accessories Harness
Deluxe Instrument Panel with Keyless Start

O71
Suspension Seat
Cab Accessories Harness
Deluxe Instrument Panel with Keyless Start
Power Bob-Tach
Attachment Control Kit

S160/S185/S205 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Control Options

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS) Selects either hand or foot control of lift and tilt functions. Includes Advanced Hand Controls and Advanced Foot Controls.	\$1,360
M__-R01-C04	SELECTABLE JOYSTICK CONTROLS (SJC) Standard features: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.	\$2,195

Other Options and Option Combinations

Option Requirements

NOTE: *The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.*

SUSPENSION SEAT

Required for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add

\$370

7-PIN ATTACHMENT CONTROL KIT

Required for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add.....

\$195

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-P01-F50	HIGH FLOW HYDRAULICS, TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$3,451
M__-P01-F40	HIGH FLOW HYDRAULICS, HYDRAULIC BUCKET POSITIONING	\$1,885
M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,525
M__-P01-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$1,998
M__-P01-F20	TWO SPEED, ENGINE BLOCK HEATER	\$1,566
M__-R04-C02	TWO SPEED	\$1,536
M__-P01-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$536
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$454
M__-A01-C02	ENGINE BLOCK HEATER.....	\$108

Option Descriptions

HIGH FLOW HYDRAULICS

Provides 26.4 GPM and 3300 PSI for attachment operation.

The 7 pin attachment control kit is required.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.

Includes On/Off switch.

TWO SPEED

Includes 2 speed motors and 3-Point Seat Belt.

Low Travel Speed 7.5 MPH, High Travel Speed 11.1 MPH. Suspension seat is required.

S160/S185/S205 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART		FACTORY INSTALLED OPTIONS	
NUMBER	DESCRIPTION		SLP IN US \$
<u>Tires (S160 & S185)</u>			
<i>Set of 4 Tires in Place of Base Equipment</i>			
M__-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES		\$235
	Loader width 66"		
M__-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET		\$275
	Loader width 60"		
M__-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES		\$885
	Loader width 66"		
M__-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES		\$1,470
	Loader width 66"		
M__-R09-C06	31 X 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRES.....		\$385
	Loader width 66"		
<u>Tires (S205)</u>			
<i>Set of 4 Tires in Place of Base Equipment</i>			
M0011-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES		\$0
	Loader width 66"		
M0011-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET		\$50
	Loader width 60"		
M0011-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES		\$655
	Loader width 66"		
M0011-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES		\$1,240
	Loader width 66"		

S130/S150/S160/S175/S185/S205**BOBCAT SKID STEER LOADER**

DEALER INSTALLED ACCESSORIES - ORDER FROM SALES		
PART NUMBER	DESCRIPTION	SLP IN US \$
<u>Spare Wheel and Tire Assemblies</u>		
7210487	10-16.5, 8 PR, BOBCAT STANDARD DUTY TIRE - LEFT..... S130 Loader Width 60"; S150/S160/S175, S185 Loader Width 66"	\$205
7210488	10-16.5, 8 PR, BOBCAT STANDARD DUTY TIRE - RIGHT S130 Loader Width 60"; S150/S160/S175, S185 Loader Width 66"	\$205
7109588	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE - LEFT..... S130 Loader Width is 60", S150-S205 Loader Width is 66"	\$265
7109589	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE - RIGHT S130 Loader Width is 60", S150-S205 Loader Width is 66"	\$265
7109592	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE-OFFSET - LEFT S130 Loader Width is 54", S150-S205 Loader Width is 60"	\$275
7109593	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE-OFFSET - RIGHT S130 Loader Width is 54", S150-S205 Loader Width is 60"	\$275
7109596	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRE Spare Wheel and Tire Assembly; S130 Loader Width 60"; S150-S205 Loader Width 66"	\$430
7109604	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRE-POLY-FILL Spare Wheel and Tire Assembly; S130 Loader Width 60", S150-S205 Loader Width 66"	\$575
7211383	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRE ASSY - LEFT..... Spare Wheel and Tire Assembly; S130 Loader Width 60"; S150-S205 Loader Width 66"	\$395
7211384	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRE ASSY - RIGHT .. Spare Wheel and Tire Assembly; S130 Loader Width 60"; S150-S205 Loader Width 66"	\$395

Cab Accessories

***Cab Accessories previously ordered from Sales now must be ordered from Parts. Please reference the Cab Accessories – Enclosures, Doors, Windows section on the next page for more information.**

S130/S150/S160/S175/S185/S205

BOBCAT SKID STEER LOADER

PART NUMBER DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS DESCRIPTION

Part numbers for kits in this section are current as of June 2014 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories – Enclosures, Doors, Windows

6730822	CAB ENCLOSURE DOOR KIT (S150/S160/S175/S185/S205) Cab Accessory Harness is required, reference P/N 7139311 for detail. Includes Front Door with Sensor and Wiper/Washer. Must also order Side Windows Kit, Access Cover Kit and 3rd Gas Spring Kit. Est. Install time: 2 hrs.	\$ _____
6718808	CAB ENCLOSURE DOOR KIT (S130) Cab Accessory Harness is required, reference P/N 7139311 for detail. Includes Front Door with Sensor and Wiper/Washer. Must also order Side Windows Kit, Access Cover Kit and 3rd Gas Spring Kit. Est. Install time: 2 hrs.	\$ _____
6730823	SPECIAL APPLICATIONS POLYCARBONATE DOOR KIT (S150-S205) Provides added operator protection during some attachment applications. Must also order Special Applications Polycarbonate Top and Rear Window Kits to complete the Special Applications Kit. Est. Install time: 2 hrs.	\$ _____
6725941	SPECIAL APPLICATIONS POLYCARBONATE DOOR KIT (S130) Provides added operator protection during some attachment applications. Must also order Special Applications Polycarbonate Top and Rear Window Kits to complete the Special Applications Kit. Est. Install time: 2 hrs.	\$ _____
7131580	SLIDING SIDE WINDOWS KIT Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit, Access Cover Kit and 3rd Gas Spring Kit. Est. Install time: 2 hrs.	\$ _____
7105035	SPECIAL APPLICATIONS POLYCARBONATE TOP WINDOW KIT Must order Knob 6681614 (qty. 4) and Installation Instructions 6986505. Must also order Special Applications Polycarbonate Door and Rear Window Kits to complete the Special Applications Kit. Est. Install time: 0.5 hrs.	\$ _____
6726984	SPECIAL APPLICATIONS POLYCARBONATE REAR WINDOW KIT Must also order Special Applications Polycarbonate Door and Top Window Kits to complete the Special Applications Kit. Est. Install time: 0.5 hrs.	\$ _____
6577880	ACCESS COVER KIT Must also order Cab Enclosure Door Kit, Side Windows Kit and 3 rd Gas Spring Kit. Est. Install time: 0.25 hrs.	\$ _____
6732928	3RD GAS SPRING KIT Must also order Cab Enclosure Door Kit, Side Windows Kit and Access Cover Kit. Est. Install time: 1 hr.	\$ _____
6675544	CAB ENCLOSURE, VINYL Cab enclosure includes vinyl coated nylon fabric with clear vinyl windows that provide visibility to the front, top, rear and sides of the loader. Est. Install time: 1 hr.	\$ _____

S130/S150/S160/S175/S185/S205

BOBCAT SKID STEER LOADER

DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS		
PART NUMBER	DESCRIPTION	
<u>Cab Accessories</u>		
7166138	AIR CONDITIONING KIT (S160/S185/S205) Loader must be equipped with Cab Enclosure with Heater. Cab Accessory Harness is required; reference P/N 7139311 for detail. Est. Install time: 8 hrs.	\$ _____
7139311	CAB ACCESSORY HARNESS Must be installed when ordering field-installed air conditioning, cab heater kit, four-way flasher / turn signal kit, power Bob-Tach kit, hydraulic bucket positioning, rear wiper kit, cab enclosure kit, rotating beacon kit or strobe light kit. The easiest way to tell if the loader is already equipped with Cab Accessory Harness is to look in the left cab side access hole (the round plastic cover). The Cab Accessory Harness will have three connectors there for heater/ac (a three, a four and a six pin connector). The standard cab harness won't have any connectors here. Est. Install time: 2.5 hrs.	\$ _____
6718924	FOPS KIT Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install time: 1 hr.	\$ _____
7166137	HEATER KIT Must also order Heater Plumbing Kit. Cab Accessory Harness is required; reference P/N 7139311 for detail. Est. Install time: 4 hrs. to install heater and plumbing kit	\$ _____
7154477	HEATER PLUMBING KIT (S130) Est. Install time: 4 hrs. to install heater and plumbing kit	\$ _____
7116901	HEATER PLUMBING KIT (S150/S160/S175/S185/S205) Est. Install time: 4 hrs. to install heater and plumbing kit	\$ _____
6725946	REAR WINDOW EXTERNAL REMOVAL KIT Recommended for use with Loader Radio Remote Control kit. Est. Install time: 1 hr.	\$ _____
6726655	REAR WIPER KIT Loader must be equipped with a front door and wiper. Cab Accessory Harness is required; reference P/N 7139311 for detail. Est. Install time: 4 hrs.	\$ _____
6719672	REPLACEMENT OPERATOR CAB KIT Includes Decals. Does Not Include Seat, Instrument Panel, Seat Bar or Foam Padding.	\$ _____
7140768	WHITE DECAL KIT (CAB TOP) Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install time: 0.5 hr.	\$ _____
<u>Counterweight Kits</u>		
6704284	COUNTERWEIGHT KIT-AXLE Includes axle weights and hardware. Increases down force on attachments. It does not increase the Rated Operating Capacity (ROC) of the loader. Est. Install time: 1.5 hrs.	\$ _____
7129250	COUNTERWEIGHT KIT, 200 LBS. (S150/S160/S175/S185/S205) Includes (4) 50 pound weights that bolt to the rear uprights of the loader. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. See Operator's Manual for ROC increase. Est. Install time 1 hr.	\$ _____

S130/S150/S160/S175/S185/S205

BOBCAT SKID STEER LOADER

DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS	
PART NUMBER	DESCRIPTION

Electrical Accessories

	ATTACHMENT CONTROL KITS	\$_____
	For complete listing of Attachment Control Kits, P/N's and Descriptions - Refer to Attachments Section of the Price Pages.	
7107829	BACKUP ALARM KIT FOR STANDARD OR ACS CONTROLS	\$_____
	Est. Install time: 1.5 hrs.	
6732235	BACKUP ALARM KIT FOR SJC	\$_____
	Est. Install Time: 1 hr.	
6718411	FOUR-WAY FLASHER / TURN SIGNAL KIT	\$_____
	Cab Accessory Harness is required; reference P/N 7139311 for detail.	
	Est. Install time: 1 hr.	
6719043	HORN KIT (S130)	\$_____
	For use with loaders equipped with Manual or ACS controls.	
	Est. Install time: 1 hr.	
7140147	HORN KIT FOR SJC (S130)	\$_____
	Horn Kit for loaders equipped with Selectable Joystick Controls.	
	Est. Install time: 1 hr.	
7122028	HORN KIT (S150/S160/S175/S185/S205)	\$_____
	For use with loaders equipped with Manual or ACS controls.	
	Est. Install time: 1 hr.	
7174209	HORN KIT FOR SJC (S150/S160/S175/S185/S205)	\$_____
	Horn Kit for loaders equipped with Selectable Joystick Controls.	
	Est. Install time: 0.5 hr.	
6719854	ROTATING BEACON KIT	\$_____
	Cab Accessory Harness is required, reference P/N 7139311 for detail.	
	Est. Install time: 1 hr.	
6719857	STROBE LIGHT KIT, AMBER	\$_____
	Cab Accessory Harness is required, reference P/N 7139311 for detail.	
	Est. Install time: 1 hr.	

Engine Accessories

7160579	CATALYTIC EXHAUST PURIFIER (S130/S150/S175)	\$_____
	Est. Install time: 1 hr.	
7160576	CATALYTIC EXHAUST PURIFIER (S160/S185/S205)	\$_____
	Est. Install time: 1 hr.	
6720736	ENGINE BLOCK HEATER KIT (S130/S150/S175)	\$_____
	Est. Install time: 1 hr.	
6720808	ENGINE BLOCK HEATER KIT (S160/S185/S205)	\$_____
	Est. Install time: 1 hr.	
7173590	MSHA APPROVAL KIT (S130/S150/S175)	\$_____
	Includes decals and installation instructions. Required for Underground Coal Mining Applications located above 1,000 ft elevations. See MSHA overview document on BobcatNET for further detail. For use with loaders with Interim Tier IV engines.	
	Est. Install time: 0.25 hrs. (Machines Operated Under 1000 ft.)	
	Est. Install time: 1.5 hrs. (Machines Operated Over 1000 ft.)	

S130/S150/S160/S175/S185/S205

BOBCAT SKID STEER LOADER

DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS	
PART NUMBER	DESCRIPTION

Engine Accessories (continued)

7204615	MSHA APPROVAL KIT (S160/S185/S205) \$_____
	Includes decals and installation instructions. Required for Underground Coal Mining Applications located above 1,000 ft elevations. See MSHA overview document on BobcatNET for further detail. For use with loaders with Interim Tier IV engines. Est. Install time: 0.25 hrs. (Machines Operated Under 1000 ft.) Est. Install time: 4 hrs. (Machines Operated Over 1000 ft.)
6706939	SCREEN KIT, RADIATOR \$_____
	Installs between oil cooler and radiator. Provides the radiator additional protection from debris. Est. Install time: 5 minutes

Hydraulic Accessories

7102809	HYDRAULIC BUCKET POSITIONING KIT (S130) \$_____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Includes on/off switch. Cab Accessory Harness is required, reference P/N 7139311 for detail. Est. Install time: 2 hrs.
7102869	HYDRAULIC BUCKET POSITIONING KIT (S150/S160/S175/S185/S205) \$_____
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Includes on/off switch. Cab Accessory Harness is required, reference P/N 7139311 for detail. Est. Install time: 2 hrs.
7154349	REAR AUXILIARY HYDRAULICS KIT (S130) \$_____
	Provides a flow of 8.5 GPM. Est. Install time: 2 hrs.
7154351	REAR AUXILIARY HYDRAULICS KIT (S150/S160) \$_____
	Provides a flow of 8.5 GPM. Est. Install time: 4 hrs.
7154350	REAR AUXILIARY HYDRAULICS KIT (S175/S185/S205) \$_____
	Provides a flow of 8.5 GPM. Est. Install time: 4 hrs.
7104852	SECONDARY AUXILIARY HYDRAULICS (S130) \$_____
	Loader must be equipped with Rear Auxiliary Hydraulics. Needed for some high flow attachments. Kit includes quick couplers, hoses and tubelines for right side auxiliary hydraulics. Est. Install time: 0.5 hr.
6736791	SECONDARY AUXILIARY HYDRAULICS (S150/S160) \$_____
	Loader must be equipped with Rear Auxiliary Hydraulics. Needed for some high flow attachments. Kit includes quick couplers, hoses and tubelines for right side auxiliary hydraulics. Est. Install time: 1 hr.
6731524	SECONDARY AUXILIARY HYDRAULICS (S175/S185/S205) \$_____
	Loader must be equipped with Rear Auxiliary Hydraulics. Needed for some high flow attachments. Kit includes quick couplers, hoses and tubelines for right side auxiliary hydraulics. Est. Install time: 1 hr.

Instrumentation

6692935	DELUXE INSTRUMENT PANEL WITH KEYLESS START \$_____
	Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install time: 0.25 hr.
6725399	DELUXE INSTRUMENT DEMO HARNESS \$_____
	Allows Deluxe Instrument Panel to be demonstrated outside of the operator's cab.
7170753	KEYLESS START PANEL KIT \$_____
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install time: 1 hr.

S130/S150/S160/S175/S185/S205**BOBCAT SKID STEER LOADER**

PART NUMBER	DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS DESCRIPTION	
<u>Lift Kits</u>		
7104743	FOUR-POINT LIFT KIT (S130) Est. Install time: 2 hrs.	\$ _____
7108394	FOUR-POINT LIFT KIT (S150/S160) Used only with loaders equipped with Backhoe Mounting Kit. Est. Install time: 1.5 hrs.	\$ _____
7112328	FOUR-POINT LIFT KIT (S150/S160) Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 1.5 hrs.	\$ _____
7108393	FOUR-POINT LIFT KIT (S175/S185/S205) Used only with loaders equipped with Backhoe Mounting Kit. Est. Install time: 1.5 hrs.	\$ _____
7112346	FOUR-POINT LIFT KIT (S175/S185/S205) Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 1.5 hrs.	\$ _____
6719323	SINGLE-POINT LIFT KIT (S130) Est. Install time: 2 hrs.	\$ _____
7142392	SINGLE-POINT LIFT KIT (S150/S160/S175/S185/S205) Est. Install time: 3 hrs.	\$ _____
<u>Power Bob-Tach Kits</u>		
7157586	POWER BOB-TACH KIT (S130) Cab Accessory Harness is required, reference P/N 7139311 for detail. Est. Install time: 2 hrs.	\$ _____
7120899	POWER BOB-TACH KIT (S150/S160) Cab Accessory Harness is required, reference P/N 7139311 for detail. Est. Install time: 4 hrs.	\$ _____
7120898	POWER BOB-TACH KIT (S175/S185/S205) Cab Accessory Harness is required, reference P/N 7139311 for detail. Est. Install time: 4 hrs.	\$ _____
<u>Radio</u>		
6983067	RADIO, AM/FM/WB Must also order installation kit (mounting and wiring), antenna and headphones or speakers. Works with MP3 or other portable music player. Completely weatherproof. NOAA Weatherband. Headphone Jack. Built-in jobsite work timer. Selectable backlighting in Amber or Green for a clear view day or night. Built-in memory back-up keeps time for up to 30 days without vehicle battery drain. Est. Install time: 2 hrs. to install Radio, Antenna, and Speakers	\$ _____
6983066	RADIO INSTALLATION KIT, LOADERS	\$ _____
6676114	RADIO ANTENNA	\$ _____
6676108	RADIO HEADPHONES	\$ _____
6676112	RADIO SPEAKER Must order Qty. 2	\$ _____
<u>Remote Control Kits</u>		
7185234	LOADER RADIO REMOTE CONTROL KIT Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC). Requires version 57 software or newer. Est. Install time: 0.5 hr.	\$ _____
6986516	LOADER RADIO REMOTE CONTROL OPERATOR TRAINING KIT	\$ _____
<u>Ride Control Kits</u>		
7106063	RIDE CONTROL KIT Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: 1 hr.	\$ _____

S130/S150/S160/S175/S185/S205

BOBCAT SKID STEER LOADER

DEALER INSTALLED ACCESSORIES - ORDER FROM PARTS	
PART NUMBER	DESCRIPTION
<u>Seats & Seat Belts</u>	
6703640	SEAT BELT KIT, 3" WIDE (STANDARD SEAT) \$_____ For use with Standard Seat only. Includes 3" lap belt. Est. Install time: 0.5 hr.
6675562	SEAT BELT KIT, 3" WIDE (SUSPENSION SEAT) \$_____ For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.
6732219	SEAT BELT KIT, 3-POINT \$_____ For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Both are retractable. Est. Install time: 0.5 hr.
7170270	SUSPENSION SEAT, AIR RIDE \$_____ Must also order Seat Belt Kit unless previously equipped with a Suspension Seat. Vinyl Material. Est. Install time: 1 hr.
6675596	SUSPENSION SEAT, FABRIC \$_____ Must also order Seat Belt Kit unless previously equipped with a Suspension Seat. Est. Install time: 1 hr.
6675595	SUSPENSION SEAT, VINYL \$_____ Must also order Seat Belt Kit unless previously equipped with a Suspension Seat. Est. Install time: 1 hr.
<u>Sound Reduction Kits</u>	
7140078	SOUND REDUCTION KIT FOR MANUAL AND ACS CONTROLS (S130) \$_____ Includes insulating materials to reduce sound level at the operator's ear. Est. Install time: 3 hrs.
7140079	SOUND REDUCTION KIT FOR SJC CONTROLS (S130) \$_____ Includes insulating materials to reduce sound level at the operator's ear. Est. Install time: 3 hrs.
7140056	SOUND REDUCTION KIT FOR MANUAL AND ACS CONTROLS (S150 - S205) \$_____ Includes insulating materials to reduce sound level at the operator's ear. Est. Install time: 3 hrs.
7140057	SOUND REDUCTION KIT FOR SJC CONTROLS (S150 - S205) \$_____ Includes insulating materials to reduce sound level at the operator's ear. Est. Install time: 3 hrs.
<u>Training Kits</u>	
6901726	BOBCAT LOADER OPERATOR TRAINING KIT \$_____ Includes tape, 5 handbooks and administrator's guide book.
6900641	BOBCAT LOADER SERVICE TRAINING KIT \$_____ Includes all of the 10-minute operator safety videos in both English and Spanish.
6904762	BOBCAT OPERATOR SAFETY DVD \$_____ Includes all of the 10-minute operator safety videos in both English and Spanish.
<u>Other Accessories</u>	
6702351	AIR DEFLECTOR KIT (S130) \$_____ Diffuses the air flow exiting from the cooling system. Est. Install time: 1 hr.
6577880	COVER KIT \$_____ For Foot Pedal Cleanout Holes. Est. Install time: 0.25 hr.
6725898	FIRE EXTINGUISHER KIT \$_____ Est. Install time: 0.5 hr.
7023550	LOCKING FUEL CAP \$_____ Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.
6732001	TAILGATE LOCK KIT \$_____ Est. Install time: 0.5 hr.

S510/S530 (Interim Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

49 HP Interim Tier 4 Diesel Engine
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Gauges,
 Hourmeter, RPM and Warning Lights
 Lift Arm Support
 Lift Path: Radius (S510), Vertical (S530)

Lights, Front & Rear
 Operator Cab

- Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

 Spark Arrestor Muffler
 Tires: 10-16.5, 8 PR, Bobcat Standard Duty
 Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	S510	S530
Rated Operating Capacity	1,650 lbs.	1,850 lbs.
Engine Model	V2403	V2403
Engine Fuel	Diesel	Diesel
Engine Cooling	Liquid	Liquid
Horsepower	49	49
Hydraulic Pump Capacity – Standard Flow	17.1 GPM	17.1 GPM
Travel Speed	7.4 MPH	7.4 MPH
Travel Speed – 2 Speed Option	11.0 MPH	11.0 MPH
Operating Weight	5,922 lbs.	6,207 lbs.
Shipping Weight	5,165 lbs.	5,460 lbs.
Cab Height	77.8"	77.8"
Width (w/out Attachment)	64.7"	64.7"
Length (w/out Attachment)	104.6"	104.6"
Wheelbase	42.6"	42.6"
Reach at Maximum Height	17.0"	32.6"
Height to Hinge Pin	114.5"	119.0"

S510/S530 (Interim Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M0051	S510 SKID STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$28,666
M0057	S530 SKID STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$30,218

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M__-P01-H71	H71 OPTION PACKAGE	\$4,360
M__-P01-H51	H51 OPTION PACKAGE	\$3,197
M__-P01-H31	H31 OPTION PACKAGE	\$2,693

H31
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

H71
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M__-P01-O71	O71 OPTION PACKAGE	\$2,141
M__-P01-O51	O51 OPTION PACKAGE	\$1,356
M__-P01-O31	O31 OPTION PACKAGE	\$774

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

*Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

Controls

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS) ACS allows operator to select either hand or foot control of lift and tilt functions. <i>The Cab Accessories Package which is included in all Cab Packages is required. If a Cab Package is not ordered, the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for.....</i>	\$1,360 \$395
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC) Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. <u>Must order</u> an A, H or O Cab Package.	\$2,195

S510/S530 (Interim Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

Other Options and Option Combinations

Option Requirements

NOTE: The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.

CAB ACCESSORIES PACKAGE

Required for Hydraulic Bucket Positioning. The Cab Accessories Package is included in all Cab Packages. If a Cab Package is not ordered, you must add..... **\$395**

SUSPENSION SEAT

Required for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add **\$475**

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$1,998
M__-P03-F20	TWO SPEED, ENGINE BLOCK HEATER	\$1,565
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$454
M__-A01-C02	ENGINE BLOCK HEATER.....	\$108

Option Descriptions

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.
Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.

TWO SPEED

Includes 2-speed motors and 3-Point Seat Belt.
Low Travel Speed 7.4 MPH, High Travel Speed 11.0 MPH.
Suspension seat must is required. See NOTE above.

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT	\$299
	Must order an A, H or O cab package.	
M__-R26-C02	RADIO.....	\$397
	Must order an A, H or O cab package. Works with MP3 or other portable music player. Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna.	

NOTE: The Air Ride Suspension Seat and Radio will be available for a limited time only before they become part of Cab Package(s) or Option Combinations

Tires

Set of 4 Tires in Place of Base Equipment

M__-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES	\$235
	Loader width 64.7"	
M__-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET	\$275
	Loader width 59.5"	
M__-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES	\$885
	Loader width 64.3"	
M__-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES	\$1,470
	Loader width 64.3"	
M__-R09-C06	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRES	\$385
	Loader width 65.2"	

S550/S570/S590 (Interim Tier 4)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

61.0 HP Turbo Interim Tier 4 Diesel Engine (S550/S570)
 66.0 HP Turbo Interim Tier 4 Diesel Engine (S590)
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Gauges,
 Hourmeter, RPM and Warning Lights
 Lift Arm Support
 Lift Path: Radius (S550), Vertical (S570/S590)

Lights, Front & Rear

Operator Cab

- Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

Spark Arrestor Muffler

Tires: 10-16.5, 8 PR, Bobcat Standard Duty (S550/S570)

Tires: 31 x 12-16.5, 10 PR, Bobcat Heavy Duty (S590)

Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	S550	S570	S590
Rated Operating Capacity	1,750 lbs.	1,950 lbs.	2,100 lbs.
Engine Model	V2607 Turbo	V2607 Turbo	V2607 Turbo
Engine Fuel.....	Diesel	Diesel	Diesel
Engine Cooling	Liquid	Liquid	Liquid
Horsepower.....	61.0	61.0	66.0
Hydraulic Pump Capacity-Standard Flow	17.1 GPM	17.1 GPM	17.1 GPM
Hydraulic Pump Capacity-High Flow (Optional)	26.7 GPM	26.7 GPM	26.7 GPM
Travel Speed	7.4 MPH	7.4 MPH	7.4 MPH
Travel Speed – 2 Speed Option	11.0 MPH	11.0 MPH	11.0 MPH
Operating Weight	6,265 lbs.	6,395 lbs.	6,735 lbs.
Shipping Weight	5,520 lbs.	5,645 lbs.	5,975 lbs.
Cab Height.....	77.8"	77.8"	77.8"
Width (w/out Attachment).....	64.7"	64.7"	65.2"
Length (w/out Attachment).....	104.6"	104.6"	104.6"
Wheelbase.....	42.6"	42.6"	42.6"
Reach at Maximum Height.....	17.0"	32.6"	32.6"
Height to Hinge Pin	114.5"	119.0"	119.0"

S550/S570/S590 (Interim Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M0053	S550 SKID STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$31,462
M0059	S570 SKID STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$33,530
M0061	S590 SKID STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$34,858

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M_-P01-A91	A91 OPTION PACKAGE	\$9,174
M_-P01-A71	A71 OPTION PACKAGE	\$5,743
M_-P01-A51	A51 OPTION PACKAGE	\$4,544
M_-P01-A31	A31 OPTION PACKAGE	\$4,024

A31
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Two Speed w/ SAPR Brake
3-Point Seat Belt
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M_-P01-H71	H71 OPTION PACKAGE	\$4,495
M_-P01-H51	H51 OPTION PACKAGE	\$3,296
M_-P01-H31	H31 OPTION PACKAGE	\$2,776

H31
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

H71
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

PART NUMBER	DESCRIPTION	SLP IN US \$
-------------	-------------	--------------

M_-P01-O71	O71 OPTION PACKAGE	\$2,207
M_-P01-O51	O51 OPTION PACKAGE	\$1,398
M_-P01-O31	O31 OPTION PACKAGE	\$798

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

*Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.

S550/S570/S590 (Interim Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Controls

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS)		\$1,360
	ACS allows operator to select either hand or foot control of lift and tilt functions. The Cab Accessories Package which is included in all Cab Packages is required . If a Cab Package is not ordered, the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for		
			\$395
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC)		\$2,195
	Features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. Must order an A, H or O Cab Package.		

Other Options and Option Combinations

Option Requirements

NOTE: The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.

CAB ACCESSORIES PACKAGE

Required for Hydraulic Bucket Positioning. The Cab Accessories Package is included in all Cab Packages. If a Cab Package is not ordered, you must add \$395

SUSPENSION SEAT

Required for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add \$475

7-PIN ATTACHMENT CONTROL KIT

Required for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add \$195

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-P03-F50	HIGH FLOW HYDRAULICS, TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$3,451
M__-P03-F40	HIGH FLOW HYDRAULICS, HYDRAULIC BUCKET POSITIONING	\$1,885
M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,525
M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER.....	\$1,998
M__-P03-F20	TWO SPEED, ENGINE BLOCK HEATER	\$1,565
M__-R04-C02	TWO SPEED	\$1,536
M__-P03-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$536
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$454
M__-A01-C02	ENGINE BLOCK HEATER.....	\$108

Option Descriptions

HIGH FLOW HYDRAULICS

Provides 26.7 GPM and 3500 PSI for attachment operation.
The 7 pin attachment control kit is required. See NOTE above.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.
Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.

TWO SPEED

Includes 2-speed motors and 3-Point Seat Belt.
Low Travel Speed 7.4 MPH, High Travel Speed 11.0 MPH.
Suspension seat must be required. See NOTE above.

S550/S570/S590 (Interim Tier 4)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT		\$299
	Must order an A, H or O cab package.		
M__-R26-C02	RADIO		\$397
	Must order an A, H or O cab package. Works with MP3 or other portable music player. Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna.		

NOTE: *The Air Ride Suspension Seat and Radio will be available for a limited time only before they become part of Cab Package(s) or Option Combinations.*

Tires (S550 & S570)

Set of 4 Tires in Place of Base Equipment

M__-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES		\$235
	Loader width 64.7"		
M__-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET		\$275
	Loader width 59.5"		
M__-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES		\$885
	Loader width 64.3"		
M__-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES		\$1,470
	Loader width 64.3"		
M__-R09-C06	31 X 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRES		\$385
	Loader width 65.2"		

Tires (S590)

Set of 4 Tires in Place of Base Equipment

M0061-R09-C02	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES		\$0
	Loader width 64.7"		
M0061-R09-C03	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRES OFFSET		\$50
	Loader width 59.5"		
M0061-R09-C04	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRES		\$655
	Loader width 64.3"		
M0061-R09-C05	10-16.5, 10 PR, BOBCAT SEVERE DUTY - POLY FILL TIRES		\$1,240
	Loader width 64.3"		

S510/S530/S550/S570/S590**BOBCAT SKID STEER LOADER**

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
<u>Spare Wheel and Tire Assemblies</u>		
7210487	10-16.5, 8 PR, BOBCAT STANDARD DUTY TIRE - LEFT	\$205
	Spare Wheel and Tire Assembly. S510/S530/S550/S570 Loader Width 64.7"	
7210488	10-16.5, 8 PR, BOBCAT STANDARD DUTY TIRE - RIGHT.....	\$205
	Spare Wheel and Tire Assembly. S510/S530/S550/S570 Loader Width 64.7"	
7109588	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE - LEFT	\$265
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590 Loader Width 64.7"	
7109589	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE - RIGHT	\$265
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590 Loader Width 64.7"	
7109592	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE-OFFSET - LEFT.....	\$275
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590 Loader Width 59.5"	
7109593	10-16.5, 10 PR, BOBCAT HEAVY DUTY TIRE-OFFSET - RIGHT	\$275
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590 Loader Width 59.5"	
7109596	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRE	\$430
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590 Loader Width 64.3"	
7109604	10-16.5, 10 PR, BOBCAT SEVERE DUTY TIRE-POLY-FILL	\$575
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590 Loader Width 64.3"	
7211383	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRE ASSY - LEFT..	\$395
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590 Loader Width 65.2"	
7211384	31 x 12-16.5, 10 PR, BOBCAT HEAVY DUTY WIDE FLOTATION TIRE ASSY - RIGHT	\$395
	Spare Wheel and Tire Assembly. S510/S530/S550/S570/S590 Loader Width 65.2"	

S510/S530/S550/S570/S590

BOBCAT SKID STEER LOADERS

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Part numbers for kits in this section are current as of June 2014 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories – Enclosures, Doors, Windows

7128393	CAB ENCLOSURE DOOR KIT \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit and Cab Seals Kit to completely enclose cab. Est. Install time: 3.5 hrs.
7186723	FOPS WINDOW KIT \$ _____ Est. Install time: 10 min.
7174127	FORESTRY DOOR KIT..... \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install time: 2 hrs.
7182335	SLIDING SIDE LEXAN WINDOWS KIT \$ _____ Includes 2 Sliding Side Lexan Windows. Est. Install time: 1 hr.
7128342	SLIDING SIDE WINDOWS KIT..... \$ _____ Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install time: 1 hr.
7128395	SPECIAL APPLICATIONS POLYCARBONATE DOOR KIT..... \$ _____ Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install time: 3 hrs.
7128389	SPECIAL APPLICATIONS POLYCARBONATE REAR WINDOW KIT..... \$ _____ Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install time: 0.5 hr.

Cab Accessories – Heat and Air Conditioning

7129488	AIR CONDITIONING KIT (S550/S570/S590)..... \$ _____ Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8 hrs.
7128484	HEATER KIT \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install time: 5 hrs. to install heater and plumbing kit
7129469	HEATER PLUMBING KIT \$ _____ Est. Install time: 5 hrs. to install heater and plumbing kit
7200657	LOWER AIR DUCT KIT \$ _____ Includes two additional air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install time: 1-3 hrs. (depends on loader model and s/n)

Cab Accessories – Other

7220758	CAB ACCESSORY HARNESS & LOWER INTERIOR PANELS KIT \$ _____ This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning Headliner Kit & Cup Holder Kit to finish interior. Est. Install time: 5 hrs.
7167395	CUP HOLDER KIT \$ _____ Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install time: 1 hr.
7227849	CAB SEALS KIT..... \$ _____ Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.

S510/S530/S550/S570/S590

BOBCAT SKID STEER LOADERS

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Cab Accessories – Other (continued)

7170782	DELUXE CAB GAS SPRING KIT \$ _____ 3rd gas spring for enclosed cab. Est. Install time: 1 hr.
7156253	DELUXE HEADLINER KIT \$ _____ Includes headliner with light and rear corner cab trim. Est. Install time: 1 hr.
7174171	DELUXE HEATER / AIR CONDITIONING HEADLINER KIT \$ _____ Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install time: 1 hr.
7196560	FORESTRY WIPER KIT \$ _____ Loader must be equipped with Forestry Door; Reference P/N 7174127 Forestry Door or 7230523 Forestry Applications Kit for detail. Est. Install time: 1 hr.
7240148	INTERMITTENT WIPER KIT \$ _____ Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install time: 1 hr.
7225133	REAR WIPER KIT \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Deluxe Headliner, Lower Interior Panels and Front Door with Wiper are also required. Wiper is activated by a switch on the rear wiper motor. Est. Install time: 4 hrs.
7172897	RESEAL PLUGS KIT \$ _____ Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.
7172903	WHITE DECAL KIT (CAB TOP) \$ _____ Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install time: 0.5 hr.

Counterweight Kits

7204315	COUNTERWEIGHT KIT- FRONT AXLE \$ _____ Includes axle weights and hardware. Increases down force on attachments. It does not increase the Rated Operating Capacity (ROC) of the loader. Est. Install time: 1.5 hrs.
7129250	COUNTERWEIGHT KIT, 200 LBS \$ _____ Includes (4) 50 lb weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install time: 1 hr.

Electrical Accessories

_____	ATTACHMENT CONTROL KIT \$ _____ For complete listing of Attachment Control Kits, P/N's and Descriptions – Refer to Attachments Section of the Price Pages.
7169103	CAB ACCESSORY ADAPTER HARNESS \$ _____ For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install time: 0.5 hr.
7128338	FOUR-WAY FLASHER / TURN SIGNAL KIT \$ _____ Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.
7129299	ROTATING BEACON KIT \$ _____ Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.
7129301	STROBE LIGHT KIT, AMBER \$ _____ Cab Accessory Harness or Cab Accessory Adapter Harness is required; Reference Cab Accessory Harness & Lower Interior Panels kit or Cab Accessory Adapter Harness for details. Est. Install time: 1 hr.

S510/S530/S550/S570/S590

BOBCAT SKID STEER LOADERS

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Engine Accessories

7218958	CATALYTIC EXHAUST PURIFIER (S510/S530) \$ _____ Est. Install time: 1 hr.
7218959	CATALYTIC EXHAUST PURIFIER (S550/S570/S590) \$ _____ Est. Install time: 1 hr.
6720736	ENGINE BLOCK HEATER KIT (S510/S530)..... \$ _____ Est. Install time: 1 hr.
6720808	ENGINE BLOCK HEATER KIT (S550/S570/S590) \$ _____ Est. Install time: 1 hr.
7173590	MSHA APPROVAL KIT (S510/S530) \$ _____ Includes decals and installation instructions. Required for Underground Coal Mining Applications located above 1,000 ft elevations. See MSHA overview document on BobcatNET for further detail. For use with loaders with Interim Tier 4 engines. Est. Install time: 0.25 hrs. (Machines Operated Under 1000 ft.) Est. Install time: 1.5 hrs. (Machines Operated Over 1000 ft.)
7204615	MSHA APPROVAL KIT (S550/S570/S590) \$ _____ Includes decals and installation instructions. Required for Underground Coal Mining Applications located above 1,000 ft elevations. See MSHA overview document on BobcatNET for further detail. For use with loaders with Interim Tier 4 engines. Est. Install time: 0.25 hrs. (Machines Operated Under 1000 ft.) Est. Install time: 1.5 hrs. (Machines Operated Over 1000 ft.)

Hydraulic Accessories

7129447	HYDRAULIC BUCKET POSITIONING KIT (S510/S550) \$ _____ Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time: 3 hrs.
7128442	HYDRAULIC BUCKET POSITIONING KIT (S530/S570/S590) \$ _____ Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time: 3 hrs.
7195601	REAR AUXILIARY HYDRAULIC KIT \$ _____ Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.

Instrumentation

7213928	DELUXE INSTRUMENT PANEL WITH KEYLESS START..... \$ _____ Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install time: 1 hr.
7213929	KEYLESS START PANEL KIT \$ _____ Allows operator to start the loader by entering a reprogrammable number code. Est. Install time: 1 hr.

Lift Kits

7161980	FOUR-POINT LIFT KIT (S510/S550) \$ _____ Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.
7161979	FOUR-POINT LIFT KIT (S530/S570/S590) \$ _____ Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.
7226713	SINGLE POINT LIFT KIT..... \$ _____ Est. Install time: 3 hrs.

S510/S530/S550/S570/S590

BOBCAT SKID STEER LOADERS

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Loader Guard Kits

7129293	FOPS KIT \$ _____ Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install time: 1 hr.
7174128	REAR WORK LIGHTS GUARD KIT \$ _____ Est. Install time: 0.5 hr.
7174129	FRONT WORK LIGHTS GUARD KIT \$ _____ Est. Install time: 0.5 hr.
7174130	MUFFLER GUARD KIT \$ _____ Est. Install time: 0.25 hr.
7173324	COUPLER GUARD KIT \$ _____ Est. Install time: 5 min.
7203665	REAR BUMPER KIT..... \$ _____ Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install time: 1 hr.

Power Bob-Tach Kits

7218434	POWER BOB-TACH KIT..... \$ _____ Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit
7192264	POWER BOB-TACH PLUMBING KIT (S510/S550) \$ _____ Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit
7192266	POWER BOB-TACH PLUMBING KIT (S530/S570/S590)..... \$ _____ Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit

Radio

6988435	RADIO KIT \$ _____ Includes weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Works with MP3 or other portable music player. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install time: 3 hrs.
6676108	RADIO HEADPHONES..... \$ _____

Remote Control Kits

7185234	LOADER RADIO REMOTE CONTROL KIT \$ _____ Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC) or All Wheel Steer Loaders. Requires version 57 software or newer. Est. Install time: 0.5 hr.
6986516	LOADER RADIO REMOTE OPERATOR TRAINING KIT \$ _____

Ride Control Kits

7184637	RIDE CONTROL KIT \$ _____ Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: 1.5 hrs.
---------	--

S510/S530/S550/S570/S590

BOBCAT SKID STEER LOADERS

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
----------------	--

Seats & Seat Belts

6703640	SEAT BELT KIT, 3" (STANDARD SEAT) \$ _____ For use with Standard Seat only. Includes 3" lap belt. Est. Install time: 0.5 hr.
7129303	SEAT BELT KIT, 3" (SUSPENSION SEAT) \$ _____ For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.
7128405	SEAT BELT KIT, 3-POINT \$ _____ For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install time: 0.5 hr.
7169480	SEAT BELT KIT-3", 3-POINT \$ _____ For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install time: 0.5 hr.
7128524	SUSPENSION SEAT \$ _____ Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.
7183366	SUSPENSION SEAT, AIR RIDE \$ _____ Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.

Sound Reduction Kits

7207378	SOUND REDUCTION KIT \$ _____ Includes insulating materials and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install time: 2 hrs.
7207380	DELUXE SOUND KIT FOR STANDARD OR ACS CONTROLS \$ _____ Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.
7207381	DELUXE SOUND KIT FOR SJC CONTROLS \$ _____ Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.

Training Kits


6901726	BOBCAT LOADER OPERATOR TRAINING KIT \$ _____
6900641	BOBCAT LOADER SERVICE TRAINING KIT \$ _____
6904762	BOBCAT OPERATOR SAFETY DVD \$ _____ Includes all of the 10-minute operator safety videos in both English and Spanish.

Other Accessories

7129307	FIRE EXTINGUISHER KIT \$ _____ Est. Install time: 0.5 hr.
7023550	LOCKING FUEL CAP \$ _____ Includes a Black Locking Fuel Cap which is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.
7128403	TAILGATE LOCK KIT \$ _____ Est. Install time: 0.5 hr.

S630/S650 (Interim Tier 4)

BOBCAT SKID STEER LOADERS



STANDARD EQUIPMENT

74.3 HP Turbo Interim Tier 4 Diesel Engine
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Gauges,
 Hourmeter, RPM and Warning Lights
 Lift Arm Support
 Lift Path: Radius (S630), Vertical (S650)

Lights, Front & Rear
 Operator Cab

- Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

 Spark Arrestor Muffler
 Tires: 12-16.5, 12 PR, Bobcat Heavy Duty
 Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	<u>S630</u>	<u>S650</u>
Rated Operating Capacity	2,180 lbs.	2,690 lbs.
Engine Model	V3307 Turbo	V3307 Turbo
Engine Fuel	Diesel	Diesel
Engine Cooling.....	Liquid	Liquid
Horsepower	74.3	74.3
Hydraulic Pump Capacity – Standard Flow	23 GPM	23 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	30.5 GPM	30.5 GPM
Travel Speed	7.1 MPH	7.1 MPH
Travel Speed – 2 Speed Option.....	7.1/12.3 MPH	7.1/12.3 MPH
Operating Weight	7,707 lbs.	8,327 lbs.
Shipping Weight.....	7,151 lbs.	7,805 lbs.
Cab Height	81.3"	81.3"
Width (w/out Attachment)	72.1"	72.1"
Length (w/out Attachment)	108.4"	108.4"
Wheelbase	45.3"	45.3"
Reach at Maximum Height	21.4"	31.5"
Height to Hinge Pin.....	121.0"	124.0"

S630/S650 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0065	S630 SKID STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$37,489
M0069	S650 SKID STEER LOADER (EQUIPPED WITH iT4 ENGINE)	\$39,872

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-A91	A91 OPTION PACKAGE	\$9,599
M__-P01-A71	A71 OPTION PACKAGE	\$5,921
M__-P01-A51	A51 OPTION PACKAGE	\$4,685
M__-P01-A31	A31 OPTION PACKAGE	\$4,150

A31
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Two Speed with SAPR Brake
3-Point Seat Belt
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-H51	H51 OPTION PACKAGE	\$3,398
M__-P01-H31	H31 OPTION PACKAGE	\$2,862

H31
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M__-P01-O71	O71 OPTION PACKAGE	\$2,275
M__-P01-O51	O51 OPTION PACKAGE	\$1,441
M__-P01-O31	O31 OPTION PACKAGE	\$823

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.*

S630/S650 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

Control Options

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS) Allows operator to select either hand or foot control of lift and tilt functions.	\$1,460
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC) Standard features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. <u>Must order</u> an A, H or O Cab Package.	\$2,395

Other Options and Option Combinations

Option Requirements

NOTE: The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.

SUSPENSION SEAT

Required for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add..... **\$475**

7-PIN ATTACHMENT CONTROL KIT

Required for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add..... **\$195**

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-P03-F50	HIGH FLOW HYDRAULICS, TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$3,739
M__-P03-F40	HIGH FLOW HYDRAULICS, HYDRAULIC BUCKET POSITIONING	\$2,173
M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,828
M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$1,998
M__-P03-F20	TWO SPEED, ENGINE BLOCK HEATER	\$1,566
M__-R04-C02	TWO SPEED	\$1,536
M__-P03-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$536
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$454
M__-A01-C02	ENGINE BLOCK HEATER	\$108

Option Descriptions

HIGH FLOW HYDRAULICS

Provides 30.5 GPM and 3500 PSI for attachment operation.
The 7 pin attachment control kit is required.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.
Includes On/Off switch.

TWO SPEED

Includes 2-speed motors, Spring Applied/Pressure Release (SAPR) Brake and 3-Point Seat Belt.
Low Travel Speed 7.1 MPH, High Travel Speed 12.3 MPH. Suspension Seat is required.

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT <u>Must order</u> an A, H or O Cab Package.	\$299
M__-R26-C02	RADIO	\$397
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player. <u>Must order</u> an A, H or O Cab Package.	

NOTE: The Air Ride Suspension Seat and Radio will be available as individual options for a limited time only before they become part of Cab Package(s) or Option Combinations

S630/S650 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

FACTORY INSTALLED OPTIONS

Tires

Set of 4 Tires in Place of Base Equipment

M__-R09-C03	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRES OFFSET..... Loader width 68.5"	\$50
M__-R09-C04	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRES Loader width 71.5"	\$800
M__-R09-C05	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY FILL TIRES..... Loader width 71.5"	\$1,575
M__-R09-C11	33 X 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRES Loader width 74"	\$840

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

DEALER INSTALLED ACCESSORIES – ORDER FROM SALES

Spare Wheel and Tire Assemblies

7109629	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-LEFT Spare Wheel and Tire Assembly. Loader width 72.1"	\$345
7109630	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-RIGHT Spare Wheel and Tire Assembly. Loader width 72.1"	\$345
7109633	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-LEFT Spare Wheel and Tire Assembly. Loader width 68.5"	\$355
7109634	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-RIGHT Spare Wheel and Tire Assembly. Loader width 68.5"	\$355
7109637	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRE ASSEMBLY Spare Wheel and Tire Assembly. Loader width 71.5"	\$545
7109641	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY-FILL TIRE ASSEMBLY Spare Wheel and Tire Assembly. Loader width 71.5"	\$735
7109645	33 X 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-LEFT..... Spare Wheel and Tire Assembly. Loader width 74"	\$555
7109646	33 X 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-RIGHT Spare Wheel and Tire Assembly. Loader width 74"	\$555

S630/S650 (Interim Tier 4)

BOBCAT SKID STEER LOADERS

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS DESCRIPTION
------------------------	--

Refer to current S630/S650/S750/S770/S850 Dealer Installed Accessories section of the Bobcat Skid Steer Loader Price Book for S630 (iT4) and S650 (iT4) Dealer Installed Accessories.

S750/S770 (Tier 3)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

85.0 HP Turbo Tier 3 Diesel Engine (S750)
 92.0 HP Turbo Tier 3 Diesel Engine (S770)
 Air Intake Heater (Automatically Activated)
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS™)
 Controls: Bobcat Standard
 Engine/Hydraulic Systems Shutdown
 Horn
 Instrumentation: Engine Temperature & Fuel
 Gauges, Hourmeter, RPM and Warning Lights
 Lift Arm Support

Lift Path: Vertical
 Lights, Front & Rear
 Operator Cab

- Includes: Adjustable Cushion Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)

 Spark Arrestor Muffler
 Tires: 12-16.5, 12 PR, Bobcat Heavy Duty
 Warranty: 12 Months, Unlimited Hours

QUICK SPECS

	<u>S750</u>	<u>S770</u>
Rated Operating Capacity	3,200 lbs.	3,350 lbs.
Engine Model	V3800 Turbo	V3800 Turbo
Engine Fuel	Diesel	Diesel
Engine Cooling	Liquid	Liquid
Horsepower	85.0	92.0
Hydraulic Pump Capacity-Standard Flow	23 GPM	23 GPM
Hydraulic Pump Capacity-High Flow (Optional)	36.5 GPM	36.5 GPM
Travel Speed	7.1 MPH	7.1 MPH
Travel Speed – 2 Speed Option	7.1/12.3 MPH	7.1/12.3 MPH
Operating Weight	8,730 lbs.	9,175 lbs.
Shipping Weight	7,895 lbs.	8,350 lbs.
Cab Height	81.3"	81.3"
Width (w/out Attachment)	72.1"	72.1"
Length (w/out Attachment)	114.3"	114.3"
Wheelbase	48.3"	48.3"
Reach at Maximum Height	31.5"	31.5"
Height to Hinge Pin	132"	132"

S750/S770 (Tier 3)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0079	S750 SKID STEER LOADER (EQUIPPED WITH T3 ENGINE).....	\$45,441
M0083	S770 SKID STEER LOADER (EQUIPPED WITH T3 ENGINE).....	\$49,405

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M_-P01-A91	A91 OPTION PACKAGE	\$9,599
M_-P01-A71	A71 OPTION PACKAGE	\$5,921
M_-P01-A51	A51 OPTION PACKAGE	\$4,685
M_-P01-A31	A31 OPTION PACKAGE	\$4,150

A31
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Two Speed w/ SAPR Brake
3-Point Seat Belt
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M_-P01-H71	H71 OPTION PACKAGE	\$4,634
M_-P01-H51	H51 OPTION PACKAGE	\$3,398
M_-P01-H31	H31 OPTION PACKAGE	\$2,862

H31
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*

H51
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach

H71
Enclosed Cab with Heat
Suspension Seat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M_-P01-O71	O71 OPTION PACKAGE	\$2,275
M_-P01-O51	O51 OPTION PACKAGE	\$1,441
M_-P01-O31	O31 OPTION PACKAGE	\$823

O31
Suspension Seat
Cab Accessories Package*

O51
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Suspension Seat
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.*

S750/S770 (Tier 3)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

FACTORY INSTALLED OPTIONS

Control Options

M__-R01-C03	ADVANCED CONTROL SYSTEM (ACS) Allows operator to select either hand or foot control of lift and tilt functions.	\$1,460
M__-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC) Standard features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. <u>Must order</u> an A, H or O Cab Package.	\$2,395

Other Options and Option Combinations

Option Requirements

NOTE: The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.

SUSPENSION SEAT

Required for Two Speed. The Suspension Seat is included in all Cab Packages. If a Cab Package is not ordered, you must add \$475

7-PIN ATTACHMENT CONTROL KIT

Required for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, H71 and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add.... \$195

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M__-P03-F50	HIGH FLOW HYDRAULICS, TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$3,739
M__-P03-F40	HIGH FLOW HYDRAULICS, HYDRAULIC BUCKET POSITIONING	\$2,173
M__-R03-C03	HIGH FLOW HYDRAULICS	\$1,828
M__-P03-F30	TWO SPEED, HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$1,998
M__-P03-F20	TWO SPEED, ENGINE BLOCK HEATER	\$1,566
M__-R04-C02	TWO SPEED	\$1,536
M__-P03-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER	\$536
M__-R11-C02	HYDRAULIC BUCKET POSITIONING	\$454
M__-A01-C02	ENGINE BLOCK HEATER	\$108

Option Descriptions

HIGH FLOW HYDRAULICS

Provides 36.5 GPM and 3500 PSI for attachment operation.

The 7 pin attachment control kit is required.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.

Includes On/Off switch.

TWO SPEED

Includes 2-speed motors, Spring Applied/Pressure Release (SAPR) Brake and 3-Point Seat Belt.

Low Travel Speed 7.1 MPH, High Travel Speed 12.3 MPH. Suspension Seat is required.

Individual Options

M__-R05-C11	AIR RIDE SUSPENSION SEAT	\$299
	<u>Must order</u> an A, H or O Cab Package.	
M__-R26-C02	RADIO	\$397
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player.	
	<u>Must order</u> an A, H or O Cab Package.	

NOTE: The Air Ride Suspension Seat and Radio will be available as individual options for a limited time only before they become part of Cab Package(s) or Option Combinations.

S750/S770 (Tier 3)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

FACTORY INSTALLED OPTIONS

Tires

Set of 4 Tires in Place of Base Equipment

M__-R09-C03	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRES OFFSET Loader width 69"	\$50
M__-R09-C04	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRES..... Loader width 71.5"	\$800
M__-R09-C05	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY FILL TIRES Loader width 71.5"	\$1,575
M__-R09-C11	33 X 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRES Loader width 77.3"	\$840

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

DEALER INSTALLED ACCESSORIES – ORDER FROM SALES

Spare Wheel and Tire Assemblies

7202899	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-LEFT Spare Wheel and Tire Assembly. Loader width 72.1"	\$345
7202896	12-16.5, 12 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-RIGHT Spare Wheel and Tire Assembly. Loader width 72.1"	\$345
7202906	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-LEFT Spare Wheel and Tire Assembly. Loader width 69"	\$355
7202903	12-16.5, BOBCAT HEAVY DUTY TIRE OFFSET-RIGHT Spare Wheel and Tire Assembly. Loader width 69"	\$355
7202930	12-16.5, 12 PR, BOBCAT SEVERE DUTY TIRE ASSEMBLY Spare Wheel and Tire Assembly Loader width 71.5"	\$545
7202932	12-16.5, 12 PR, BOBCAT SEVERE DUTY-POLY-FILL TIRE ASSEMBLY Spare Wheel and Tire Assembly Loader width 71.5"	\$735
7109574	33 X 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-LEFT Spare Wheel and Tire Assembly Loader width 77.3"	\$555
7109575	33 X 15.5-16.5, 12 PR, BOBCAT SUPER FLOAT TIRE ASSY-RIGHT Spare Wheel and Tire Assembly Loader width 77.3"	\$555

Cab Accessories

7230523	FORESTRY APPLICATIONS KIT..... Kit is required to operate Forestry Cutter and provides operator and machine protection. For kit contents, see Forestry Cutter in Attachments Section. Not compatible with Rear Auxiliary Hydraulics. Must also order Engine Compartment Seal Kit, order from parts. Est. Install time: 6.5 hrs.	\$7,485
---------	--	---------

Note: Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from parts.

S850 (Tier 3)

BOBCAT SKID STEER LOADER



STANDARD EQUIPMENT

92 HP Turbo Tier 3 Diesel Engine	Lift Path: Vertical
2-Speed Travel	Lights, Front & Rear
Auxiliary Hydraulics: Variable Flow	Operator Cab
Backup Alarm	<ul style="list-style-type: none"> •Includes: Adjustable Suspension Seat, Top & Rear Windows, Seat Bar and 3-Point Seat Belt
Bob-Tach	<ul style="list-style-type: none"> •Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Bobcat Interlock Control System (BICS™)	<ul style="list-style-type: none"> •Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Controls: Bobcat Standard Controls with Power Assist	Parking Brake – Spring Applied, Pressure Released (SAPR)
Engine/Hydraulic Systems Shutdown	Spark Arrestor Muffler
Air Intake Heater (Automatically Activated)	Tires: 14-17.5, 14 PR, Bobcat Heavy Duty
Horn	Warranty: 12 Months, Unlimited Hours
Instrumentation: Engine Temperature & Fuel Gauges, Hourmeter, RPM and Warning Lights	
Lift Arm Support	

QUICK SPECS

Rated Operating Capacity	3,950 lbs.
Engine Model	V3800 Turbo
Engine Fuel	Diesel
Engine Cooling.....	Liquid
Horsepower	92
Hydraulic Pump Capacity – Standard Flow	23 GPM
Hydraulic Pump Capacity – High Flow (Optional).....	37 GPM
Travel Speed – 2 Speed.....	7.1/12.3 MPH
Operating Weight.....	10,008 lbs.
Shipping Weight.....	9,378 lbs.
Cab Height	83.4"
Width (w/out Attachment)	79"
Length (w/out Attachment)	119.3"
Wheelbase	52.9"
Reach at Maximum Height	29.7"
Height to Hinge Pin.....	144"

S850 (Tier 3)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0091	S850 SKID STEER LOADER (EQUIPPED WITH T3 ENGINE)	\$56,730
--------------	---	-----------------

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0091-P01-A91	A91 OPTION PACKAGE	\$8,285
M0091-P01-A71	A71 OPTION PACKAGE	\$5,921
M0091-P01-A51	A51 OPTION PACKAGE	\$4,685
M0091-P01-A31	A31 OPTION PACKAGE	\$4,150

A31
Enclosed Cab with AC/Heat
Cab Accessories Package*

A51
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach

A71
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit

A91
Enclosed Cab with AC/Heat
Cab Accessories Package*
Power Bob-Tach
Sound Reduction
Deluxe Instrument Panel with
Keyless Start
Attachment Control Kit
High Flow Hydraulics
Hydraulic Bucket Positioning
Engine Block Heater

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0091-P01-H51	H51 OPTION PACKAGE	\$3,398
----------------------	---------------------------------	----------------

H51
Enclosed Cab with Heat
Cab Accessories Package*
Power Bob-Tach

PART NUMBER	DESCRIPTION	SLP IN US \$
----------------	-------------	--------------

M0091-P01-O71	O71 OPTION PACKAGE	\$2,275
M0091-P01-O51	O51 OPTION PACKAGE	\$1,441

O51
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start

O71
Cab Accessories Package*
Deluxe Instrument Panel with
Keyless Start
Power Bob-Tach
Attachment Control Kit

**Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments, and Cup Holder.*

S850 (Tier 3)

BOBCAT SKID STEER LOADER

PART NUMBER	DESCRIPTION	FACTORY INSTALLED OPTIONS	SLP IN US \$
----------------	-------------	---------------------------	--------------

Control Options

M0091-R01-C04	SELECTABLE JOYSTICK CONTROL (SJC)		\$1,295
	Standard features include: Selectable patterns (ISO or H-Pattern), Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.		

Other Options and Option Combinations

Option Requirements

NOTE: *The following options and option combinations may require additional equipment, see details below. If the required equipment is not included in a Cab Package the Bobcat ordering systems will automatically add the equipment to the order.*

7-PIN ATTACHMENT CONTROL KIT

Required for High Flow Hydraulics. The 7-Pin Attachment Control Kit is included in the A71, A91, and O71 Cab Packages, if one of those Cab Packages is not ordered, you must add..... **\$195**

May Choose Only ONE of the Following Options or Combinations

The options and option combinations may require additional equipment for operation, see option requirements above for details.

M0091-P03-F40	HIGH FLOW HYDRAULICS, HYDRAULIC BUCKET POSITIONING		\$2,173
M0091-R03-C03	HIGH FLOW HYDRAULICS		\$1,828
M0091-P03-F10	HYDRAULIC BUCKET POSITIONING, ENGINE BLOCK HEATER		\$536
M0091-R11-C02	HYDRAULIC BUCKET POSITIONING		\$454
M0091-A01-C02	ENGINE BLOCK HEATER		\$108

Option Descriptions

HIGH FLOW HYDRAULICS

Provides 37 GPM and 3500 PSI for attachment operation.
The 7 pin attachment control kit is required.

HYDRAULIC BUCKET POSITIONING

Bucket Positioning helps the operator keep the same tilt of the load during lifting.
Includes On/Off switch.

Individual Options

M0091-R05-C12	AIR RIDE SUSPENSION SEAT		\$299
	<u>Must order</u> an A, H, or O Cab Package.		
M0091-R26-C02	RADIO		\$397
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player. <u>Must order</u> an A, H, or O Cab Package.		

NOTE: *The Air Ride Suspension Seat and Radio will be available as individual options for a limited time only before they become part of Cab Package(s) or Option Combinations.*

Tires

Set of 4 Tires in Place of Base Equipment

M0091-R09-C04	14-17.5, 14 PR, BOBCAT SEVERE DUTY TIRES		\$1,289
	Loader width 79"		
M0091-R09-C05	14-17.5, 14 PR, BOBCAT SEVERE DUTY-POLY FILL TIRES		\$2,469
	Loader width 79"		

S850 (Tier 3)

BOBCAT SKID STEER LOADER

PART NUMBER	DEALER INSTALLED ACCESSORIES – ORDER FROM SALES DESCRIPTION	SLP IN US \$
<u>Spare Wheel and Tire Assemblies</u>		
7144938	14-17.5, 14 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-LEFT Spare Wheel and Tire Assembly. Loader width 79"	\$625
7144937	14-17.5, 14 PR, BOBCAT HEAVY DUTY TIRE ASSEMBLY-RIGHT Spare Wheel and Tire Assembly. Loader width 79"	\$625
7144939	14-17.5, 14 PR, BOBCAT SEVERE DUTY TIRE ASSEMBLY Spare Wheel and Tire Assembly. Loader width 79"	\$947
7170697	14-17.5, 14 PR, BOBCAT SEVERE DUTY-POLY FILL TIRE ASSEMBLY Spare Wheel and Tire Assembly. Loader width 79"	\$1,242
<u>Cab Accessories</u>		
7230523	FORESTRY APPLICATIONS KIT Kit is required to operate Forestry Cutter and provides operator and machine protection. For kit contents, see Forestry Cutter in Attachments Section. Not compatible with Rear Auxiliary Hydraulics. Must also order Engine Compartment Seal Kit, order from parts. Est. Install time: 6.5 hrs.	\$7,485
Note:	Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from parts.	

S750/S770/S850

BOBCAT SKID STEER LOADER

DEALER INSTALLED ACCESSORIES – ORDER FROM PARTS	
PART NUMBER	DESCRIPTION

Refer to current S630/S650/S750/S770/S850 Dealer Installed Accessories section of the Bobcat Skid Steer Loader Price Book for S750 (Tier 3), S770 (Tier 3) and S850 (Tier 3) Dealer Installed Accessories.